

轴流风机
AL FAN

EC 离心风机
EC CENTRIFUGAL FAN

EC 离心风机
EC SHADED-POLE MOTOR

AC 外转子轴流风机
AC AXIAL FAN

AC 离心风机
AC CENTRIFUGAL FAN


轴流风机
AL FAN

EC 离心风机
EC CENTRIFUGAL FAN

EC 离心风机
EC SHADED-POLE MOTOR

AC 外转子轴流风机
AC AXIAL FAN



AC 离心风机
AC CENTRIFUGAL FAN



- 防护等级：IP54
 - 绝缘等级：“B” “F”
 - 工作方式：S1
 - 轴承：免维护轴承
 - 叶片材质：钢板
 - 工作环境温度：-40°C-+60°C
- Type of Protection: IP54
 - Insulation Class: “B”“F”
 - Mode of Operation: S1
 - Bearings: Maintenance-free ball bearings
 - Blades: steel plate
 - Perm.amb.temp.: -40°C - +60°C

- 防护等级：IP54
- 绝缘等级：“B” “F”
- 工作方式：S1
- 轴承：免维护轴承
- 叶片材质：钢板
- 工作环境温度：-40°C-+60°C

- Type of Protection: IP54
- Insulation Class: “B”“F”
- Mode of Operation: S1
- Bearings: Maintenance-free ball bearings
- Blades: steel plate
- Perm.amb.temp.: -40°C - +60°C



技术参数 Technical data

	曲线 Curve NO.	电压 Voltage	频率 Frequency	额定电流 Current	输入功率 Input Power	转速 Speed	噪音 Noise	电容 Capacitor	最大风量 / 许用静压 Air Volume / Max static pressure		净重 N.W
型号 MODEL	#	V	Hz	A	W	RPM	dB	μF	m³/h	/ Pa	Kg
YWF4D-330-E5L	①	380	50	0.4	125	1400	63	/	2250	/ 95	4.5
YWF4E-330-E5L	①	220	50	0.6	125	1380	63	4	2250	/ 95	4.5
YWF6D-330-E5L	②	380	50	0.3	85	950	52	/	1560	/ 72	4.5

技术参数 Technical data

	曲线 Curve NO.	电压 Voltage	频率 Frequency	额定电流 Current	输入功率 Input Power	转速 Speed	噪音 Noise	电容 Capacitor	最大风量 / 许用静压 Air Volume / Max static pressure		净重 N.W
型号 MODEL	#	V	Hz	A	W	RPM	dB	μF	m³/h	/ Pa	Kg
YWF4D-350-E5L	①	380	50	0.45	150	1380	65	/	2350	/ 90	4.6
	②	400	60	0.4	180	1600	68	/	2470	/ 92	4.6
YWF4E-350-E5L	①	220	50	0.7	150	1380	65	4	2350	/ 90	4.6
	③	230	60	0.8	180	1600	68	4	2470	/ 92	4.6
YWF6D-350-E5L	④	380	50	0.42	105	955	52	/	2063	/ 50	4.6
	⑤	400	60	0.32	106	1130	58	/	2479	/ 55	4.6
YWF6E-350-E5L	⑥	220	50	0.41	82	935	52	2	1977	/ 50	4.6
	⑦	230	60	0.44	96	1100	58	2	2358	/ 55	4.6
YWF4E-350M-E5L	⑧	220	50	0.78	170	1380	70	6	2935	/ 80	4.6
	⑨	230	60	1.2	250	1600	72	6	3080	/ 82	4.6
YWF4D-350M-E5L	⑧	380	50	0.38	150	1390	72	/	2935	/ 65	4.6
YWF6D-350M-E5L	⑩	380	50	0.28	80	950	58	/	2065	/ 80	4.4
YWF6E-350M-E5L	⑩	220	50	0.4	95	950	58	4	2065	/ 80	4.4
YWF4D-350G-E7L	⑪	400▲	50	0.36	190	1350	70	/	3100	/ 75	6
	⑫	400Y	50	0.23	131	990	65	/	2600	/ 40	6
YWF4E-350G-E7L	⑪	220	50	1.01	216	1400	71	5	3100	/ 60	6
YWF6D-350T-E6L	⑬	380	50	0.27	90	920	60	/	1925	/ 70	5.2
YWF6E-350T-E6L	⑬	220	50	0.47	100	900	60	/	1925	/ 70	5.2
YWF4D-350F-E7F	⑭	380	50	0.39	180	1350	71	/	3150	/ 100	5.0
	⑮	400	60	0.45	230	1550	73	/	3300	/ 100	5.0
YWF4E-350F-E7F	⑭	220	50	0.75	170	1330	71	5	3150	/ 100	5.0
	⑮	230	60	1.15	250	1600	73	5	3300	/ 100	5.4
YWF6D-350F-E7F	⑯	400	60	0.26	110	1100	73	/	2000	/ 60	5.0
YWF6E-350F-E7F	⑯	230	60	0.4	95	1050	73	2.5	2000	/ 50	5.0




轴流风机
AL FAN

离心风机
EC CENTRIFUGAL FAN


离心风机
EC SHADED-POLE MOTOR

外转子轴流风机
AC AXIAL FAN


离心风机
AC CENTRIFUGAL FAN



型号 MODEL	尺寸		叶片数量
	A	B	
YWF4D(E)-350S(B)-B5L	175.5	105.5	5
YWF6D(E)-350S(B)-B5L	175.5	105.5	5
YWF4D(E)-350MS(B)-B5L	187.5	117.5	5
YWF6D(E)-350MS(B)-B5L	187.5	117.5	5
YWF4D(E)-350GS(B)-B7L	187.5	117.5	7
YWF6D(E)-350TS(B)-B7L	187.5	117.5	7
YWF4D(E)-350FS(B)-B7F	175.5	105.5	7
YWF6D(E)-350FS(B)-B7F	175.5	105.5	7




型号 MODEL	尺寸		叶片数量
	A	B	
YWF4D(E)-350S(B)-C5L	175.5	135.5	5
YWF6D(E)-350S(B)-C5L	175.5	135.5	5
YWF4D(E)-350MS(B)-C5L	187.5	147.5	5
YWF6D(E)-350MS(B)-C5L	187.5	147.5	5
YWF4D(E)-350GS(B)-C7L	187.5	147.5	7
YWF6D(E)-350TS(B)-C7L	187.5	147.5	7
YWF4D(E)-350FS(B)-C7F	175.5	135.5	7
YWF6D(E)-350FS(B)-C7F	175.5	135.5	7



型号 MODEL	尺寸		叶片数量
	A	B	
YWF4D(E)-350S(B)-D5L	175.5	50.5	5
YWF6D(E)-350S(B)-D5L	175.5	50.5	5
YWF4D(E)-350MS(B)-D5L	187.5	67.5	5
YWF6D(E)-350MS(B)-D5L	187.5	67.5	5
YWF4D(E)-350GS(B)-D7L	187.5	67.5	7
YWF6D(E)-350TS(B)-D7L	187.5	67.5	7
YWF4D(E)-350FS(B)-D7F	175.5	50.5	7
YWF6D(E)-350FS(B)-D7F	175.5	50.5	7

技术参数 Technical data

Model NO.B	Model NO.C	Model NO.D	Model NO.E	Model NO.H	Model NO.G	Model NO.K
YWF4D(E)-350S(B)-B5L	YWF4D(E)-350S(B)-C5L	YWF4D(E)-350S(B)-D5L	YWF4D(E)-350S(B)-E5L	YWF4D(E)-350S(B)-H5L	YWF4D(E)-350B-G5L	YWF4D(E)-350S-K5L
YWF6D(E)-350S(B)-B5L	YWF6D(E)-350S(B)-C5L	YWF6D(E)-350S(B)-D5L	YWF6D(E)-350S(B)-E5L	YWF6D(E)-350S(B)-H5L	YWF6D(E)-350B-G5L	YWF6D(E)-350S-K5L
YWF4D(E)-350MS(B)-B5L	YWF4D(E)-350MS(B)-C5L	YWF4D(E)-350MS(B)-D5L	YWF4D(E)-350MS(B)-E5L	YWF4D(E)-350MS(B)-H5L	YWF4D(E)-350MB-G5L	YWF4D(E)-350MS-K5L
YWF6D(E)-350MS(B)-B5L	YWF6D(E)-350MS(B)-C5L	YWF6D(E)-350MSV-D5L	YWF6D(E)-350GS(B)-E5L	YWF6D(E)-350MS(B)-H5L	YWF6D(E)-350MB-G5L	YWF6D(E)-350MS-K5L
YWF4D(E)-350GS(B)-B7L	YWF4D(E)-350GS(B)-C7L	YWF4D(E)-350GS(B)-D7L	YWF4D(E)-350MS(B)-E7L	YWF4D(E)-350GS(B)-H7L	YWF4D(E)-350GB-G7L	YWF4D(E)-350GS-K7L
YWF6D(E)-350TS(B)-B7L	YWF6D(E)-350TS(B)-C7L	YWF6D(E)-350TS(B)-D7L	YWF6D(E)-350TS(B)-E7L	YWF6D(E)-350TS(B)-H7L	YWF6D(E)-350TB-G7L	YWF6D(E)-350TS-K7L
YWF4D(E)-350FS(B)-B7F	YWF4D(E)-350FS(B)-C7F	YWF4D(E)-350FS(B)-D7F	YWF4D(E)-350FS(B)-E7F	YWF4D(E)-350FS(B)-H7F	YWF4D(E)-350FB-G7F	YWF4D(E)-350FS-K7F
YWF6D(E)-350FS(B)-B7F	YWF6D(E)-350FS(B)-C7F	YWF6D(E)-350FS(B)-D7F	YWF6D(E)-350FS(B)-E7F	YWF6D(E)-350FS(B)-H7F	YWF6D(E)-350FB-G7F	YWF6D(E)-350FS-K7F



型号 MODEL	尺寸					叶片数量
	A	B	C	D	E	
YWF4D(E)-350S(B)-E5L	175.5	80	55.5	422	5	
YWF6D(E)-350S(B)-E5L	175.5	80	55.5	422	5	
YWF4D(E)-350MS(B)-E5L	187.5	80	62.5	422	5	
YWF6D(E)-350MS(B)-E5L	187.5	80	62.5	422	5	
YWF4D(E)-350GS(B)-E7L	187.5	79	63	395	7	
YWF6D(E)-350TS(B)-E7L	187.5	79	63	395	7	
YWF4D(E)-350FS(B)-E7F	175.5	80	55.5	422	7	
YWF6D(E)-350FS(B)-E7F	175.5	80	55.5	422	7	

轴流风机
AL FAN

离心风机
EC CENTRIFUGAL FAN

离心风机
EC SHADED-POLE MOTOR

外转子轴流风机
AC AXIAL FAN

离心风机
AC CENTRIFUGAL FAN


轴流风机
AL FAN

EC 离心风机
EC CENTRIFUGAL FAN


EC 离心风机
EC SHADED-POLE MOTOR

AC 外转子轴流风机
AC AXIAL FAN


AC 离心风机
AC CENTRIFUGAL FAN




型号 MODEL	叶片数量 A
YWF4D(E)-350S(B)-H5L	5
YWF6D(E)-350S(B)-BHL	5
YWF4D(E)-350MS(B)-H5L	5
YWF6D(E)-350MS(B)-H5L	5
YWF4D(E)-350GS(B)-H7L	7
YWF6D(E)-350TS(B)-H7L	7
YWF4D(E)-350FS(B)-H7F	7
YWF6D(E)-350FS(B)-H7F	7



型号 MODEL	尺寸 A B C	叶片数量
YWF4D(E)-350B-G5L	175.5 110.5	5
YWF6D(E)-350B-G5L	175.5 110.5	5
YWF4D(E)-350MB-G5L	187.5 122.5	5
YWF6D(E)-350MB-G5L	187.5 122.5	5
YWF4D(E)-350GB-G7L	187.5 142.5	7
YWF6D(E)-350TB-G7L	187.5 142.5	7
YWF4D(E)-350FB-G7F	175.5 110.5	7
YWF6D(E)-350FB-G7F	175.5 110.5	7





型号 MODEL	尺寸 A B C	叶片数量
YWF4D(E)-350S-K5L	175.5 18	5
YWF6D(E)-350S-K5L	175.5 18	5
YWF4D(E)-350MS-K5L	187.5 30	5
YWF6D(E)-350MS-K5L	187.5 30	5
YWF4D(E)-350GS-K7L	187.5 30	7
YWF6D(E)-350TS-K7L	187.5 30	7
YWF4D(E)-350FS-K7F	175.5 18	7
YWF6D(E)-350FS-K7F	175.5 18	7



- 防护等级: IP54
- 绝缘等级: “B” “F”
- 工作方式: S1
- 轴承: 免维护轴承
- 叶片材质: 钢板
- 工作环境温度: -40°C - +60°C

- Type of Protection: IP54
- Insulation Class: “B” “F”
- Mode of Operation: S1
- Bearings: Maintenance-free ball bearings
- Blades: steel plate
- Perm.amb.temp.: -40°C - +60°C



技术参数 Technical data

型号 MODEL	曲线 Curve NO.	电压 Voltage	频率 Frequency	额定电流 Current	输入功率 Input Power	转速 Speed	噪音 Noise	电容 Capacitor	最大风量 / 许用静压 Air Volume / Max. static pressure	净重 N.W
YWF4E-380S(B)-E5L	①	220	50	1.0	200	1380	65	6	3645 / 92	4.9
YWF4D-380S(B)-E5L	①	380	50	0.5	200	1400	65	/	3645 / 92	4.9

轴流风机
AL FAN

EC 离心风机
EC CENTRIFUGAL FAN

EC 离心风机
EC SHADED-POLE MOTOR

AC 外转子轴流风机
AC AXIAL FAN

AC 离心风机
AC CENTRIFUGAL FAN