









型号 MODEL	叶片数量 A
YWF4D(E)-500S(B)-H5L	5
YWF6D(E)-500S(B)-H5L	5
YWF4D(E)-500MS(B)-H6L	6
YWF4D(E)-500GS(B)-H7L	7
YWF6D(E)-500GS(B)-H7L	7
YWF4D-500TS(B)-H7L	7
YWF6D-500TS(B)-H7L	7
YWF4D-500FS-H7F	7



型号 MODEL	尺寸			叶片数量 C
	A	B		
YWF4D(E)-500S(B)-G5L	200	135		5
YWF6D(E)-500S(B)-G5L	200	135		5
YWF4D(E)-500MS(B)-G6L	214	149		6
YWF4D(E)-500GS(B)-G7L	234	169		7
YWF6D(E)-500GS(B)-G7L	234	169		7
YWF4D-500TS(B)-G7L	234	169		7
YWF6D-500TS(B)-G7L	214	149		7
YWF4D-500FS-G7F	200	135		7



型号 MODEL	尺寸			叶片数量 C
	A	B		
YWF4D(E)-500S(B)-K5L	200	153		5
YWF6D(E)-500S(B)-K5L	200	153		5
YWF4D(E)-500MS(B)-K6L	214	167		6
YWF4D(E)-500GS(B)-K7L	234	187		7
YWF6D(E)-500GS(B)-K7L	234	187		7
YWF4D-500TS(B)-K7L	234	187		7
YWF6D-500TS(B)-K7L	214	167		7
YWF4D-500FS-K7F	200	153		7



- 防护等级：IP54
 - 绝缘等级：“B” “F”
 - 工作方式：S1
 - 轴承：免维护轴承
 - 叶片材质：钢板
 - 工作环境温度：-40°C - +60°C
- Type of Protection: IP54
 - Insulation Class: “B” “F”
 - Mode of Operation: S1
 - Bearings: Maintenance-free ball bearings
 - Blades: steel plate
 - Perm.amb.temp.: -40°C - +60°C

技术参数 Technical data

型号 MODEL	曲线 Curve NO.	电压 Voltage	频率 Frequency	额定电流 Current	输入功率 Input Power	转速 Speed	噪音 Noise	电容 Capacitor	最大风量 / 许用静压 Air Volume Max / Max.static pressure	净重 N.W
	#	V	Hz	A	W	RPM	dB	μF	m³/h / Pa	Kg
YWF4D-550-E5L	①	380	50	1.3	600	1360	70	/	8730 / 120	11.0
	②	400	60	1.55	800	1450	72	/	8555 / 110	11.0
YWF4E-550-E5L	①	220	50	2.8	650	1340	70	15	8546 / 120	11.0
	②	230	60	4.0	950	1550	72	15	8555 / 110	11.0
YWF6D-550-E5L	③	380	50	0.72	315	895	60	/	7000 / 85	10.8
	④	400	60	0.6	300	1000	62	/	6655 / 92	10.8
YWF6E-550-E5L	⑤	220	50	1.0	220	880	60	6	6355 / 85	10.8
	④	230	60	1.2	350	1100	62	6	6655 / 92	10.8
YWF4D-550M-E5L	⑥	380	50	1.26	640	1400	72	/	9260 / 120	11.0
	⑦	400	60	1.45	850	1600	74	/	9725 / 110	11.0
YWF4E-550M-E5L	⑥	220	50	2.8	650	1340	72	15	9260 / 120	11.0
	⑧	380	50	0.58	250	880	62	/	5330 / 100	10.5
YWF6D-550M-E5L	⑨	400	60	0.7	360	950	64	/	5565 / 90	10.5
	⑩	380	50	2.45	1100	1360	78	/	10300 / 150	12.8
YWF4D-550T-E7L	⑪	380	50	0.9	360	890	70	/	6850 / 90	12.5
	⑫	380	50	1.2	620	1320	72	/	11200 / 105	12



轴流风机
AL FAN

离心风机
EC CENTRIFUGAL FAN


离心风机
EC SHADED-POLE MOTOR

外转子轴流风机
AC AXIAL FAN


离心风机
AC CENTRIFUGAL FAN



型号 MODEL	尺寸		叶片数量
	A	B	
YWF4D(E)-550S(B)-B5L	214	144	5
YWF6D(E)-550S(B)-B5L	214	144	5
YWF4D(E)-550MS(B)-B5L	214	144	5
YWF6D-550MS(B)-B5L	214	144	5
YWF4D-550TS(B)-B7L	234	164	7
YWF6D-550TS(B)-B7L	214	144	7
YWF4D-550FS-B7F	214	144	7




型号 MODEL	尺寸		叶片数量
	A	B	
YWF4D(E)-550S(B)-CSL	214	174	5
YWF6D(E)-550S(B)-CSL	214	174	5
YWF4D(E)-550MS(B)-CSL	214	174	5
YWF6D-550MS(B)-CSL	214	174	5
YWF4D-550TS(B)-C7L	234	194	7
YWF6D-550TS(B)-C7L	214	174	7
YWF4D-550FS-C7F	214	174	7



型号 MODEL	尺寸		叶片数量
	A	B	
YWF4D(E)-550S(B)-D5L	214	89	5
YWF6D(E)-550S(B)-D5L	214	89	5
YWF4D(E)-550MS(B)-D5L	214	89	5
YWF6D-550MS(B)-D5L	214	89	5
YWF4D-550TS(B)-D7L	234	109	7
YWF6D-550TS(B)-D7L	214	89	7
YWF4D-550FS-D7F	214	89	7

技术参数 Technical data

Model NO.B	Model NO.C	Model NO.D	Model NO.E	Model NO.H	Model NO.G	Model NO.K
YWF4D(E)-550S(B)-B5L	YWF4D(E)-550S(B)-CSL	YWF4D(E)-550S(B)-D5L	YWF4D(E)-550S(B)-E5L	YWF4D(E)-550S(B)-H5L	YWF4D(E)-550B-G5L	YWF4D(E)-550S-K5L
YWF6D(E)-550S(B)-B5L	YWF6D(E)-550S(B)-CSL	YWF6D(E)-550S(B)-D5L	YWF6D(E)-550S(B)-E5L	YWF6D(E)-550S(B)-H5L	YWF6D(E)-550B-G5L	YWF6D(E)-550S-K5L
YWF4D(E)-550MS(B)-B5L	YWF4D(E)-550MS(B)-CSL	YWF4D(E)-550MS(B)-D5L	YWF4D(E)-550MS(B)-E5L	YWF4D(E)-550MS(B)-H5L	YWF4D(E)-550MB-G5L	YWF4D(E)-550MS-K5L
YWF6D-550MS(B)-B5L	YWF6D-550MS(B)-CSL	YWF6D-550MS(B)-D5L	YWF6D-550MS(B)-E5L	YWF6D-550MS(B)-H5L	YWF6D-550MB-G5L	YWF6D-550MS-K5L
YWF4D-550TS(B)-B7L	YWF4D-550TS(B)-C7L	YWF4D-550TS(B)-D7L	YWF4D-550TS(B)-E7L	YWF4D-550TS(B)-H7L	YWF4D-550TB-G7L	YWF4D-550TS-K7L
YWF6D-550TS(B)-B7L	YWF6D-550TS(B)-C7L	YWF6D-550TS(B)-D7L	YWF6D-550TS(B)-E7L	YWF6D-550TS(B)-H7L	YWF6D-550TB-G7L	YWF6D-550TS-K7L
YWF4D-550FS-B7F	YWF4D-550FS-C7F	YWF4D-550FS-D7F	YWF4D-550FS-E7F	YWF4D-550FS-H7F	YWF4D-550FB-G7F	YWF4D-550FS-K7F



型号 MODEL	尺寸		叶片数量
	A	B	
YWF4D(E)-550S(B)-E5L	214	84	5
YWF6D(E)-550S(B)-E5L	214	84	5
YWF4D(E)-550MS(B)-E5L	214	84	5
YWF6D-550MS(B)-E5L	214	84	5
YWF4D-550TS(B)-E7L	234	104	7
YWF6D-550TS(B)-E7L	214	84	7
YWF4D-550FS-E7F	214	84	7

轴流风机
AL FAN

离心风机
EC CENTRIFUGAL FAN

离心风机
EC SHADED-POLE MOTOR

外转子轴流风机
AC AXIAL FAN

离心风机
AC CENTRIFUGAL FAN



轴流风机
AL FAN

EC 离心风机
EC CENTRIFUGAL FAN

EC 离心风机
EC SHADE-POLE MOTOR

AC 外转子轴流风机
AC AXIAL FAN

AC 离心风机
AC CENTRIFUGAL FAN






型号 MODEL	叶片数量 C
YWF4D(E)-550S(B)-H5L	5
YWF6D(E)-550S(B)-H5L	5
YWF4D(E)-550MS(B)-H5L	5
YWF6D-550MS(B)-H5L	5
YWF4D-550TS(B)-H7L	7
YWF6D-550TS(B)-H7L	7
YWF4D-550FS-H7F	7





- 防护等级: IP54
 - 绝缘等级: "B" "F"
 - 工作方式: S1
 - 轴承: 免维护轴承
 - 叶片材质: 钢板
 - 工作环境温度: -40°C - +60°C
- Type of Protection: IP54
 - Insulation Class: "B" "F"
 - Mode of Operation: S1
 - Bearings: Maintenance-free ball bearings
 - Blades: steel plate
 - Perm.amb.temp.: -40°C - +60°C

4P、6P



型号 MODEL	尺寸 A B	叶片数量 C
YWF4D(E)-550S(B)-G5L	214 149	5
YWF6D(E)-550S(B)-G5L	214 149	5
YWF4D(E)-550MS(B)-G5L	214 149	5
YWF6D-550MS(B)-G5L	214 149	5
YWF4D-550TS(B)-G7L	234 169	7
YWF6D-550TS(B)-G7L	214 149	7
YWF4D-550FS-G7F	214 149	7



型号 MODEL	尺寸 A B C	叶片数量
YWF4D(E)-550S(B)-K5L	214 174	5
YWF6D(E)-550S(B)-K5L	214 174	5
YWF4D(E)-550MS(B)-K5L	214 174	5
YWF6D-550MS(B)-K5L	214 174	5
YWF4D-550TS(B)-K7L	234 194	7
YWF6D-550TS(B)-K7L	214 174	7
YWF4D-550FS-K7F	214 174	7

技术参数 Technical data

型号 MODEL	曲线 Curve NO.	电压 Voltage	频率 Frequency	额定电流 Current	输入功率 Input Power	转速 Speed	噪音 Noise	电容 Capacitor	最大风量 / 许用静压 Air Volume / Max. static pressure	净重 N.W
	#	V	Hz	A	W	RPM	dB	µF	m³/h / Pa	Kg
YWF4D-560G-E7L	①	400▲	50	2.42	1260	1320	86	/	11800 / 150	21.0
YWF6E-560G-E7L	②	400Y	50	1.51	680	920	76	/	8900 / 70	21.0
YWF6E-560G-E7L	③	220	50	2.37	535	920	76	12	7800 / 75	20.5
YWF6D-560G-E7L	③	400▲	50	0.84	440	880	76	/	7800 / 68	20.5

轴流风机
AL FAN

EC 离心风机
EC CENTRIFUGAL FAN

EC 离心风机
EC SHADE-POLE MOTOR

AC 外转子轴流风机
AC AXIAL FAN

AC 离心风机
AC CENTRIFUGAL FAN