




comefri

INDUSTRIAL RADIAL FANS SINGLE INLET – KHLE
INDUSTRIE RADIALVENTILATOREN EINSEITIG SAUGEND – KHLE
VENTILATEURS INDUSTRIELS CENTRIFUGES SIMPLE ASPIRATION – KHLE
VENTILATORI INDUSTRIALI CENTRIFUGHI A SEMPLICE ASPIRAZIONE – KHLE

1. KHLE 15-17-25 & 35 ARRANGEMENT 1 HOUSING 400-710



**comefri**

INDUSTRIAL RADIAL FANS SINGLE INLET – KHLE
INDUSTRIE RADIALVENTILATOREN EINSEITIG SAUGEND – KHLE
VENTILATEURS INDUSTRIELS CENTRIFUGES SIMPLE ASPIRATION – KHLE
VENTILATORI INDUSTRIALI CENTRIFUGHI A SEMPLICE ASPIRAZIONE – KHLE

KHLE 15 - 17 - 25 - 35

		A	B	C	D	E	F	M	N1	O1xS	P1	N2	P2	O2xS	R	W1	X1	X2
400	0°	761	646	322	439	375	271	70,5	175	253x2	-	239	400	310x2	460	450	30	100
	90°																	
	270°																	
450	0°	846	721	356,5	489,5	417	304	70,5	217	290x2	400	156,5	400	352,5x2	460	500	30	100
	90°																	
	270°																	
500	0°	931	796	391,5	539,5	458	338	70,5	203	327,5x2	-	141,5	500	395x2	460	560	30	145
	90°																	
	270°																	
560	0°	1032	886	433,5	598,5	507,5	378,5	100	182,5	343x2	650	758	-	416x2	460	620	30	145
	90°																	
	270°																	
630	0°	1150	990	482	668	565	425	100	240	395x2	-	157	650	475x2	460	690	30	145
	90°																	
	270°																	
710	0°	1288	1113	539	749	633	480	150	308	406x2	-	214	650	494x2	460	770	30	145
	90°																	
	270°																	

KHLE 25-35

		G	H	L	Q	TxS	U	V1	V2	Z1	Z2	n°xd1	n°xd2	W2	Y1	Y2	ΦJ
400	0°	542,5	437	407	795	125x1	23	391	391	357	357	8xφ12	4xφ12	450	8	8	30
	90°																
	270°																
450	0°	605	482	452	840	125x1	23	436	436	402	402	8xφ12	4xφ12	500	8	8	35
	90°																
	270°																
500	0°	665	532	502	980	125x3	18	496	496	452	452	12xφ12	8xφ12	560	16	16	40
	90°																
	270°																
560	0°	741	582	552	1031	125x3	18	546	546	502	502	12xφ10	8xφ12	620	16	16	50
	90°																
	270°																
630	0°	829	642	612	1091	125x3	18	606	606	562	562	12xφ12	8xφ12	690	16	16	50
	90°																
	270°																
710	0°	932	712	682	1161	125x3	18	676	676	632	632	12xφ12	8xφ12	770	16	16	50
	90°																
	270°																

**comefri**

INDUSTRIAL RADIAL FANS SINGLE INLET – KHLE
 INDUSTRIE RADIALVENTILATOREN EINSEITIG SAUGEND – KHLE
 VENTILATEURS INDUSTRIELS CENTRIFUGES SIMPLE ASPIRATION – KHLE
 VENTILATORI INDUSTRIALI CENTRIFUGHI A SEMPLICE ASPIRAZIONE – KHLE

KHLE 17

		G	H	L	Q	TxS	U	V1	V2	Z1	Z2	n°xd1	n°xd2	W2	Y1	Y2	ΦJ
400	0°	580	362	332	720	-	23	316	316	282	282	6xφ10	2xφ10	355	8	8	30
	90°																
	270°																
450	0°	647,5	397	367	755	125x1	23	351	351	317	317	8xφ10	4xφ10	395	8	8	35
	90°																
	270°																
500	0°	712,5	437	407	886	125x1	23	391	391	357	357	8xφ10	4xφ10	450	16	8	40
	90°																
	270°																
560	0°	791	482	452	931	125x1	23	436	436	402	402	8xφ10	4xφ10	500	16	8	50
	90°																
	270°																
630	0°	884	532	502	981	125x3	18	496	496	452	452	12xφ12	8xφ12	560	16	16	50
	90°																
	270°																
710	0°	997	582	552	1031	125x3	18	546	546	502	502	12xφ12	8xφ12	620	16	16	50
	90°																
	270°																

KHLE 15


		G	H	L	Q	TxS	U	V1	V2	Z1	Z2	n°xd1	n°xd2	W2	Y1	Y2	ΦJ
400	0°	580	304	274	662	-	23	316	260	282	224	6xφ10	2xφ10	320	8	4	30
	90°																
	270°																
450	0°	647,5	332	302	690	-	23	351	286	317	252	8xφ10	2xφ10	355	8	8	40
	90°																
	270°																
500	0°	712,5	362	332	811	-	23	391	316	357	282	8xφ10	2xφ10	395	16	8	40
	90°																
	270°																
560	0°	791	397	367	846	125x1	23	436	351	402	317	8xφ10	4xφ10	450	16	8	50
	90°																
	270°																
630	0°	884	437	407	886	125x1	18	496	391	452	357	12xφ12	4xφ12	500	16	8	50
	90°																
	270°																
710	0°	997	482	452	931	125x1	18	546	436	502	402	12xφ12	4xφ12	560	16	16	50
	90°																
	270°																



comefri

INDUSTRIAL RADIAL FANS SINGLE INLET – KHLE
INDUSTRIE RADIALVENTILATOREN EINSEITIG SAUGEND – KHLE
VENTILATEURS INDUSTRIELS CENTRIFUGES SIMPLE ASPIRATION – KHLE
VENTILATORI INDUSTRIALI CENTRIFUGHI A SEMPLICE ASPIRAZIONE – KHLE

2. KHLE 15-17-25 & 35 ARRANGEMENT 1 HOUSING 800-1000



**comefri**

INDUSTRIAL RADIAL FANS SINGLE INLET – KHLE
 INDUSTRIE RADIALVENTILATOREN EINSEITIG SAUGEND – KHLE
 VENTILATEURS INDUSTRIELS CENTRIFUGES SIMPLE ASPIRATION – KHLE
 VENTILATORI INDUSTRIALI CENTRIFUGHI A SEMPLICE ASPIRAZIONE – KHLE

KHLE 15 - 17 - 25 - 35

		A	B	C	D	E	F	M	N1	O1xS	P1	N2	P2	O2xS	R	W1	X1
800	0°	1439	1247,5	601	838	707	540,5	150	382	474x2	650	276	650	569x2	610	860	205
	90°																
	270°																
900	0°	1608	1397	671	937	790	607	200	465	498x2	650	346	650	604x2	610	970	205
	90°																
	270°																
1000	0°	1779,5	1549	742	1037,5	874	675	200	549	574x2	650	417	650	690x2	610	1070	250
	90°																
	270°																

KHLE 25-35

		G	H	L	Q	TxS	U	V1	V2	Z1	Z2	n°xd1	n°xd2	W2	Y1	Y2	ΦJ
800	0°	1043	792	762	1271	125x5	18	756	756	712	712	16xØ12	12xØ12	860	16 M8	16 M8	60
	90°																
	270°																
900	0°	1167	882	852	1361	125x5	18	846	846	802	802	16xØ12	12xØ12	970	16 M10	16 M10	60
	90°																
	270°																
1000	0°	1288	982	952	1551	125x5	18	946	946	902	902	16xØ12	12xØ12	1070	16 M10	16 M10	60
	90°																
	270°																

KHLE 17

		G	H	L	Q	TxS	U	V1	V2	Z1	Z2	n°xd1	n°xd2	W2	Y1	Y2	ΦJ
800	0°	1118	642	612	1121	125x3	18	606	606	562	562	12xØ12	8xØ12	690	16 M8	16 M8	60
	90°																
	270°																
900	0°	1252	712	682	1191	125x3	18	676	676	632	632	12xØ12	8xØ12	770	16 M10	16 M10	60
	90°																
	270°																
1000	0°	1383	792	762	1361	125x5	18	756	756	712	712	16xØ12	12xØ12	860	16 M10	16 M10	60
	90°																
	270°																


KHLE 15

		G	H	L	Q	TxS	U	V1	V2	Z1	Z2	n°xd1	n°xd2	W2	Y1	Y2	ΦJ
800	0°	1118	532	502	1011	125x3	18	606	496	562	452	12xØ12	8xØ12	620	16 M8	16 M8	60
	90°																
	270°																
900	0°	1252	582	552	1061	125x3	18	676	546	632	502	12xØ12	8xØ12	690	16 M10	16 M10	60
	90°																
	270°																
1000	0°	1383	642	612	1211	125x3	18	756	606	712	562	16xØ12	8xØ12	770	16 M10	16 M10	60
	90°																
	270°																

**comefri**

INDUSTRIAL RADIAL FANS SINGLE INLET – KHLE
INDUSTRIE RADIALVENTILATOREN EINSEITIG SAUGEND – KHLE
VENTILATEURS INDUSTRIELS CENTRIFUGES SIMPLE ASPIRATION – KHLE
VENTILATORI INDUSTRIALI CENTRIFUGHI A SEMPLICE ASPIRAZIONE – KHLE

3. KHLE 32 – 36 ARRANGEMENT 1 HOUSING 200-355



**comefri**

INDUSTRIAL RADIAL FANS SINGLE INLET – KHLE
 INDUSTRIE RADIALVENTILATOREN EINSEITIG SAUGEND – KHLE
 VENTILATEURS INDUSTRIELS CENTRIFUGES SIMPLE ASPIRATION – KHLE
 VENTILATORI INDUSTRIALI CENTRIFUGHI A SEMPLICE ASPIRAZIONE – KHLE

KHLE 32-36

		A	B	C	D	E	F	ΦJ	H	L	M	N1	O1xS	P1	N2	P2	O2xS	W1
200	0°	414	367	172,5	241,5	203	164	30	226	196	40	-	143,5x2	-	-	-	167x2	232
	90°																	
	270°																	
225	0°	459	405	191	268	225	180	30	244	214	40	-	162,5x2	-	-	-	189,5x2	257
	90°																	
	270°																	
250	0°	504	442	209	295	243	199	30	263	233	40	-	181x2	-	-	-	212x2	283
	90°																	
	270°																	
280	0°	559	489	231,5	327,5	274	215	30	285	255/280	49,5	173	195x2	200	81,5	300	229x2	320
	90°																	
	270°																	
315	0°	623	541	257	366	304	237	30	310	304	50,5	-	220x2	-	-	-	261x2	355
	90°																	
	270°																	
355	0°	699	603	289	410	341	262	30	334	279	51,5	-	250x2	-	-	-	300x2	395
	90°																	
	270°																	

KHLE 32-36

		TxS	T1xS1	V1	V2	Z1	Z2	n°xd1	n°xd2	W2	Y1	Y2	R	U	X1	Q	R1	G
200	0°	90x2	90x1	286	176	256	146	10xØ7,5	4xØ7,5	232	6 M6	6 M6	12x13	25	125	544	380	261
	90°																	
	270°																	
225	0°	90x3	90x1	318	194	288	164	12xØ7,5	4xØ7,5	257	6 M6	6 M6	12x25	25	125	562	400	290
	90°																	
	270°																	
250	0°	90x3	90x1	352	213	322	183	12xØ7,5	4xØ7,5	283	6 M6	6 M6	12x25	25	125	581	420	318
	90°																	
	270°																	
280	0°	90x3	90x2	391	235	361	205	12xØ7,5	6xØ7,5	320	8 M6	8 M6	12x25	25	125	603	440	354
	90°																	
	270°																	
315	0°	90x4	90x2	434	259	405	230	14xØ7,5	6xØ7,5	355	6 M8	6 M8	12x25	25	125	628	460	396
	90°																	
	270°																	
355	0°	90x4	90x2	483	286	454	254	14xØ7,5	6xØ7,5	395	8 M8	8 M8	12x25	25	125	652	460	448
	90°																	
	270°																	

**comefri**

INDUSTRIAL RADIAL FANS SINGLE INLET – KHLE
 INDUSTRIE RADIALVENTILATOREN EINSEITIG SAUGEND – KHLE
 VENTILATEURS INDUSTRIELS CENTRIFUGES SIMPLE ASPIRATION – KHLE
 VENTILATORI INDUSTRIALI CENTRIFUGHI A SEMPLICE ASPIRAZIONE – KHLE

KHLE 32-36

		A	B	C	D	E	F	ΦJ	H	L	M	N1	O1xS	P1	N2	P2	O2xS	W1
200	0°																	
	90°	414	367	172,5	241,5	203	164	30	226	196	40	-	143,5x2	-	-	-	167x2	232
	270°																	
225	0°																	
	90°	459	405	191	268	225	180	30	244	214	40	-	162,5x2	-	-	-	189,5x2	257
	270°																	
250	0°																	
	90°	504	442	209	295	243	199	30	263	233	40	-	181x2	-	-	-	212x2	283
	270°																	
280	0°																	
	90°	559	489	231,5	327,5	274	215	30	285	255280	49,5	173	195x2	200	81,5	300	229x2	320
	270°																	
315	0°																	
	90°	623	541	257	366	304	237	30	310	304	50,5	-	220x2	-	-	-	261x2	355
	270°																	
355	0°																	
	90°	699	603	289	410	341	262	30	334	279	51,5	-	250x2	-	-	-	300x2	395
	270°																	



KHLE 32-36

		TxS	T1xS1	V1	V2	Z1	Z2	n°xd1	n°xd2	W2	Y1	Y2	R	U	X1	Q	R1	G
200	0°																	
	90°	90x2	90x1	286	176	256	146	10xØ7,5	4xØ7,5	232	6 M6	6 M6	12x13	25	125	544	380	261
	270°																	
225	0°																	
	90°	90x3	90x1	318	194	288	164	12xØ7,5	4xØ7,5	257	6 M6	6 M6	12x25	25	125	562	400	290
	270°																	
250	0°																	
	90°	90x3	90x1	352	213	322	183	12xØ7,5	4xØ7,5	283	6 M6	6 M6	12x25	25	125	581	420	318
	270°																	
280	0°																	
	90°	90x3	90x2	391	235	361	205	12xØ7,5	6xØ7,5	320	8 M6	8 M6	12x25	25	125	603	440	354
	270°																	
315	0°																	
	90°	90x4	90x2	434	259	405	230	14xØ7,5	6xØ7,5	355	6 M8	6 M8	12x25	25	125	628	460	396
	270°																	
355	0°																	
	90°	90x4	90x2	483	286	454	254	14xØ7,5	6xØ7,5	395	8 M8	8 M8	12x25	25	125	652	460	448
	270°																	

**comefri**

INDUSTRIAL RADIAL FANS SINGLE INLET – KHLE
 INDUSTRIE RADIALVENTILATOREN EINSEITIG SAUGEND – KHLE
 VENTILATEURS INDUSTRIELS CENTRIFUGES SIMPLE ASPIRATION – KHLE
 VENTILATORI INDUSTRIALI CENTRIFUGHI A SEMPLICE ASPIRAZIONE – KHLE

KHLE 15-17-25-35 ARRANGEMENT 4 SIZES 400 TO 710



- For housing dimension see par. 1 KHLE 15-17-25 & 35 ARRANGEMENT 12 HOUSING

			A		B	C		D *			E		
			KHLE 17-25 & 35	KHLE 15		KHLE 17-25 & 35	KHLE 15	KHLE 25 & 35	KHLE 17	KHLE 15	KHLE 25 & 35	KHLE 17	KHLE 15
400	M100	0°	696		761	425		-	657	-	395	350	350
		90°	811		646	372							
		270°				489							
	M112	0°	696		761	425		-	-	623			
		90°	811		646	372							
		270°				489							
	M132	0°	696		761	425		803	724	669			
		90°	811		646	372							
		270°				489							
	M160	0°	696		761	425		915	833	778			
		90°	811		646	372							
		270°				489							
450	M112	0°	771		846	467		798	-	-	395	350	350
		90°	896		721	406,5							
		270°				539,5							
	M132	0°	771		846	467		843	762	697			
		90°	896		721	406,5							
		270°				539,5							
	M160	0°	771		846	467		955	871	806			
		90°	896		721	406,5							
		270°				539,5							

**comefri**

INDUSTRIAL RADIAL FANS SINGLE INLET – KHLE
 INDUSTRIE RADIALVENTILATOREN EINSEITIG SAUGEND – KHLE
 VENTILATEURS INDUSTRIELS CENTRIFUGES SIMPLE ASPIRATION – KHLE
 VENTILATORI INDUSTRIALI CENTRIFUGHI A SEMPLICE ASPIRAZIONE – KHLE

			A		B	C		D *			E		
			KHLE 17- 25 & 35	KHLE 15		KHLE 17- 25 & 35	KHLE 15	KHLE 25 & 35	KHLE 17	KHLE 15	KHLE 25 & 35	KHLE 17	KHLE 15
500	M100	0°	846		931	508		823	-	-	492	450	350
		90°	981		796	441,5							
		270°				589,5							
	M112	0°	846		931	508		844	-	-			
		90°	981		796	441,5							
		270°				589,5							
	M132	0°	846		931	508		888	796	721			
		90°	981		796	441,5							
		270°				589,5							
	M160	0°	846		931	508		1000	905	830			
		90°	981		796	441,5							
		270°				589,5							
560	M132	0°	936	966	1032	557,5	587,5	940	846	762	492	450	450
		90°	1082	1112	886	483,5	513,5						
		270°				648,5	678,5						
	M160	0°	936	966	1032	557,5	587,5	1052	960	876			
		90°	1082	1112	886	483,5	513,5						
		270°				648,5	678,5						
630	M160	0°	1070		1150	645		1122	1013	918	612	550	450
		90°	1230		990	562							
		270°				748							
	M180	0°	1070		1150	645		1247	1135	1040			
		90°	1230		990	562							
		270°				748							
710	M160	0°	1193		1288	713		1197	1057	957	612	550	450
		90°	1368		1113	619							
		270°				829							
	M180	0°	1193		1288	713		1322	1181	1081			
		90°	1368		1113	619							
		270°				829							

**comefri**



INDUSTRIAL RADIAL FANS SINGLE INLET – KHLE
INDUSTRIE RADIALVENTILATOREN EINSEITIG SAUGEND – KHLE
VENTILATEURS INDUSTRIELS CENTRIFUGES SIMPLE ASPIRATION – KHLE
VENTILATORI INDUSTRIALI CENTRIFUGHI A SEMPLICE ASPIRAZIONE – KHLE

		F			h		ØN	Y	G
		KHLE 25 & 35	KHLE 17	KHLE 15	KHLE 17-25 & 35	KHLE 15			
400	0°	890	800	800	50	50	450	8	620
	90°								506
	270°								
450	0°	890	800	800	50	50	500	8	705
	90°								580
	270°								
500	0°	1084	1000	800	50	50	560	16	790
	90°								655
	270°								
560	0°	1084	1000	1000	50	80	620	16	832
	90°								686
	270°								
630	0°	1324	1200	1000	80	80	690	16	950
	90°								790
	270°								
710	0°	1324	1200	1000	80	80	770	16	988
	90°								812
	270°								

**comefri**

INDUSTRIAL RADIAL FANS SINGLE INLET – KHLE
 INDUSTRIE RADIALVENTILATOREN EINSEITIG SAUGEND – KHLE
 VENTILATEURS INDUSTRIELS CENTRIFUGES SIMPLE ASPIRATION – KHLE
 VENTILATORI INDUSTRIALI CENTRIFUGHI A SEMPLICE ASPIRAZIONE – KHLE

8. KHLE 15-17-25-35 ARRANGEMENT 4 SIZES 800 TO 1000



			A	B	C	D *			E			
			KHLE 15-17-25 & 35			KHLE 15-17-25 & 35	KHLE 25 & 35	KHLE 17	KHLE 15	KHLE 25 & 35	KHLE 17	KHLE 15
800	M180	0°	1347,5	1439	807	1410	1262	1152	433	400	350	
		90°	1539	1247,5	701							
		270°			938							
	M200	0°	1347,5	1439	807	1450	1297	1187				
		90°	1539	1247,5	701							
		270°			938							
	M225	0°	1347,5	1439	807	1460	1324	1214				
		90°	1539	1247,5	701							
		270°			938							
900	M180	0°	1497	1608	890	1491	-	1195	467	-	-	
		90°	1708	1397	771							
		270°			1037							
	M200	0°	1497	1608	890	1534	1360	1231				
		90°	1708	1397	771							
		270°			1037							
	M225	0°	1497	1608	890	1552	1388	1258				
		90°	1708	1397	771							
		270°			1037							
	M250	0°	1497	1608	890	1651	1472	1342		490	433	390
		90°	1708	1397	771							
		270°			1037							

**comefri**

INDUSTRIAL RADIAL FANS SINGLE INLET – KHLE
 INDUSTRIE RADIALVENTILATOREN EINSEITIG SAUGEND – KHLE
 VENTILATEURS INDUSTRIELS CENTRIFUGES SIMPLE ASPIRATION – KHLE
 VENTILATORI INDUSTRIALI CENTRIFUGHI A SEMPLICE ASPIRAZIONE – KHLE



			A	B	C	D *			E		
			KHLE 15-17-25 & 35		KHLE 15-17-25 & 35	KHLE 25 & 35	KHLE 17	KHLE 15	KHLE 25 & 35	KHLE 17	KHLE 15
1000	M180	0°	1649	1779,5	974	1592	-	-	467	-	-
		90°	1879,5	1549	842						
		270°			1137,5						
	M200	0°	1649	1779,5	974	1635	-	-		-	-
		90°	1879,5	1549	842						
		270°			1137,5						
	M225	0°	1649	1779,5	974	1654	1463	1313		435	390
		90°	1879,5	1549	842						
		270°			1137,5						
	M250	0°	1649	1779,5	974	1737	1547	1397	533	490	440
		90°	1879,5	1549	842						
		270°			1137,5						
	M280	0°	1649	1779,5	974	-	1636	1486	-		
		90°	1879,5	1549	842						
		270°			1137,5						

			F			h	ØN	Y	G	L
			KHLE 25 & 35	KHLE 17	KHLE 15	KHLE 15- 17- 25 & 35				
800	M180	0°	1400	1300	1150	100	860	16xM8	650	4+4 Ø12
	M200	90°								
	M225	270°								
900	M180	0°	1500	1340	1210	100	970	16xM10	650	4+4 Ø15
	M200	90°								
	M225	270°								
	M250	0°	1570	1400	1270					
		90°								
		270°								
1000	M180	0°	1600	1405	1270	100	1070	16xM10	650	4+4 Ø15
	M200	90°								
	M225	270°								
	M250 M280	0°	1700	1570	1420					
		90°								
		270°								

**comefri**

INDUSTRIAL RADIAL FANS SINGLE INLET – KHLE
 INDUSTRIE RADIALVENTILATOREN EINSEITIG SAUGEND – KHLE
 VENTILATEURS INDUSTRIELS CENTRIFUGES SIMPLE ASPIRATION – KHLE
 VENTILATORI INDUSTRIALI CENTRIFUGHI A SEMPLICE ASPIRAZIONE – KHLE

9. KHLE 32 - 36 ARRANGEMENT 4 SIZES 280 TO 355





			A	B	C	D*	E	F	h	ØN	Y	G
280	M80	0°	539	559	324	602	520x1	620	50	320	8xM6	458
		90°	609	489	281,5							390
		270°			377,5							
	M90	0°	539	559	324	602						458
		90°	609	489	281,5							390
		270°			377,5							
	M100	0°	539	559	324	612						458
		90°	609	489	281,5							390
		270°			377,5							
315	M80	0°	591	623	354	627	275x2	650	50	355	6xM8	522
		90°	673	541	307							440
		270°			416							
	M90	0°	591	623	354	627						522
		90°	673	541	307							440
		270°			416							
	M100	0°	591	623	354	645						522
		90°	673	541	307							440
		270°			416							
355	M80	0°	653	699	391	664	275x2	650	50	395	8xM8	600
		90°	749	603	339							500
		270°			460							
	M90	0°	653	699	391	664						600
		90°	749	603	339							500
		270°			460							
	M100	0°	653	699	391	669						600
		90°	749	603	339							500
		270°			460							

**comefri**

INDUSTRIAL RADIAL FANS SINGLE INLET – KHLE
INDUSTRIE RADIALVENTILATOREN EINSEITIG SAUGEND – KHLE
VENTILATEURS INDUSTRIELS CENTRIFUGES SIMPLE ASPIRATION – KHLE
VENTILATORI INDUSTRIALI CENTRIFUGHI A SEMPLICE ASPIRAZIONE – KHLE

10. KHLE 32 - 36 ARRANGEMENT 5 SIZES 200 TO 355



			A	B	C	D*	E	F	h	ØN	Y	G
200	M71	0°	417	414	253	401	420	520	50	232	6xM6	334
		90°	464	367	222,5							287
		270°			291,5							
	M80	0°	417	414	253	440						334
		90°	464	367	222,5							287
		270°			291,5							
	M90	0°	417	414	253	452						334
		90°	464	367	222,5							287
		270°			291,5							
225	M71	0°	455	459	275	418	420	520	50	257	6xM6	379
		90°	509	405	241							325
		270°			268							
	M80	0°	455	459	275	458						379
		90°	509	405	241							325
		270°			268							
	M90	0°	455	459	275	470						379
		90°	509	405	241							325
		270°			268							

**comefri**

INDUSTRIAL RADIAL FANS SINGLE INLET – KHLE
 INDUSTRIE RADIALVENTILATOREN EINSEITIG SAUGEND – KHLE
 VENTILATEURS INDUSTRIELS CENTRIFUGES SIMPLE ASPIRATION – KHLE
 VENTILATORI INDUSTRIALI CENTRIFUGHI A SEMPLICE ASPIRAZIONE – KHLE

			A	B	C	D*	E	F	h	ØN	Y	G
250	M71	0°	492	504	293	438	450	550	50	283	6xM6	424
		90°	554	442	259							362
		270°			345							
	M80	0°	492	504	293	477						424
		90°	554	442	259							
		270°			345							
	M90	0°	492	504	293	489						424
		90°	554	442	259							
		270°			345							
280	M80	0°	539	559	324	499	450	550	50	320	8xM6	458
		90°	609	489	281,5							390
		270°			377,5							
	M90	0°	539	559	324	511						458
		90°	609	489	281,5							
		270°			377,5							
	M100	0°	539	559	324	558						458
		90°	609	489	281,5							
		270°			377,5							
315	M80	0°	591	623	354	525	275x2	650	50	355	6xM8	522
		90°	673	541	307							440
		270°			416							
	M90	0°	591	623	354	536						522
		90°	673	541	307							
		270°			416							
	M100	0°	591	623	354	583						522
		90°	673	541	307							
		270°			416							
355	M80	0°	653	699	391	548	275x2	650	50	395	8xM8	600
		90°	749	603	339							500
		270°			460							
	M90	0°	653	699	391	560						600
		90°	749	603	339							
		270°			460							
	M100	0°	653	699	391	607						600
		90°	749	603	339							
		270°			460							