

AC Axial Fan


Product Characteristic

- Material : Cold rolled steel
- Protection Class: IP54
- Approvals: CCC/CE/ETL
- Insulation Class: F


710S-7



Product Drawing



Flow Rate Curve



Technical Specifications

Model	Voltage	Frequency	Current	Input Power	Speed	Capacitor	Speed	Noise	Curve
LWAA6D710S-7DM-01	380/400V	50Hz	2.00A	1100W	900RPM	/	17000m³/h	75dB(A)	①
LWAA6D710S-7DM-02		50Hz	1.40A	750W	600RPM		12500m³/h	68dB(A)	②
LWAA8D710S-7DM-03	380/400V	50Hz	1.50A	700W	700RPM	/	12000m³/h	67dB(A)	③
LWAA8D710S-7DM-04		50Hz	0.90A	450W	600RPM		10000m³/h	65dB(A)	④

AC Axial Fan


Product Characteristic

- Material : Cold rolled steel
- Protection Class: IP54
- Approvals: CCC/CE/ETL
- Insulation Class: F


710S-7



Product Drawing



Flow Rate Curve



Technical Specifications

Model	Voltage	Frequency	Current	Input Power	Speed	Capacitor	Speed	Noise	Curve
LWAA6D710S-7FM-05	380/400V	50Hz	2.00A	1100W	900RPM	/	17000m³/h	75dB(A)	①
LWAA6D710S-7FM-06		50Hz	1.40A	750W	600RPM		12500m³/h	68dB(A)	②
LWAA8D710S-7FM-07	380/400V	50Hz	1.50A	700W	700RPM	/	12000m³/h	67dB(A)	③
LWAA8D710S-7FM-08		50Hz	0.90A	450W	600RPM		10000m³/h	65dB(A)	④

AC Axial Fan


Product Characteristic

- Material : Cold rolled steel
- Protection Class: IP54
- Approvals: CCC/CE/ETL
- Insulation Class: F


710S-7



Product Drawing



Flow Rate Curve



Technical Specifications

Model	Voltage	Frequency	Current	Input Power	Speed	Capacitor	Speed	Noise	Curve
LWAA4D710S-7FM-09	380/400V	50Hz	4.60A	2550W	1380RPM	/	20000m³/h	85dB(A)	①
LWAA6D710S-7FM-10		50Hz	2.00A	1250W	1150RPM		17000m³/h	80dB(A)	②