



АТ - L(LK)



Technical Specifications

| Model   | A     | B   | C   | D   | E   | I   | J   | K   | L   | M    | N   | X    | t  | t1 | W  | d  | H1  | H2  | H3  | X1  | X2  | X3  |
|---------|-------|-----|-----|-----|-----|-----|-----|-----|-----|------|-----|------|----|----|----|----|-----|-----|-----|-----|-----|-----|
| 7-7L    | 312   | 328 | 228 | 192 | 180 | 370 | 259 | 279 | 299 | 32   | 152 | 22.5 | 6  | 6  | 30 | 20 | 224 | 164 | 164 | 90  | 90  | 90  |
| 8-8L    | 346   | 365 | 256 | 216 | 224 | 420 | 287 | 312 | 337 | 43   | 164 | 22.5 | 6  | 6  | 40 | 20 | 245 | 184 | 181 | 112 | 112 | 112 |
| 9-7L    | 380   | 387 | 262 | 215 | 300 | 370 | 232 | 258 | 282 | 45.5 | 185 | 22.5 | 6  | 6  | 40 | 20 | 253 | 199 | 177 | 119 | 124 | 123 |
| 9-9L    | 380   | 387 | 262 | 215 | 300 | 447 | 298 | 324 | 348 | 51   | 185 | 22.5 | 6  | 6  | 30 | 20 | 253 | 199 | 177 | 119 | 124 | 123 |
| 10-8L   | 430   | 446 | 289 | 249 | 340 | 409 | 265 | 291 | 315 | 48.5 | 203 | 28   | 8  | 7  | 40 | 25 | 287 | 227 | 198 | 136 | 132 | 135 |
| 10-10L  | 430   | 446 | 289 | 249 | 340 | 490 | 331 | 357 | 381 | 56   | 203 | 28   | 8  | 7  | 55 | 25 | 287 | 227 | 198 | 136 | 132 | 135 |
| 12-9L   | 491.5 | 521 | 341 | 294 | 408 | 464 | 309 | 335 | 359 | 54   | 230 | 28   | 8  | 7  | 40 | 25 | 332 | 266 | 232 | 161 | 153 | 161 |
| 12-12L  | 491.5 | 521 | 341 | 294 | 408 | 564 | 395 | 421 | 445 | 61   | 230 | 28   | 8  | 7  | 60 | 25 | 332 | 266 | 232 | 161 | 153 | 161 |
| 15-11L  | 569   | 609 | 404 | 342 | 495 | 552 | 373 | 399 | 423 | 66   | 264 | 28   | 8  | 7  | 50 | 25 | 380 | 309 | 272 | 197 | 211 | 201 |
| 15-11LK | 569   | 609 | 404 | 342 | 495 | 570 | 373 | 399 | 423 | 71.8 | 264 | 33   | 8  | 7  | 40 | 30 | 380 | 309 | 272 | 197 | 211 | 201 |
| 15-15L  | 569   | 609 | 404 | 342 | 495 | 650 | 471 | 497 | 521 | 66   | 264 | 28   | 8  | 7  | 60 | 25 | 380 | 309 | 272 | 197 | 211 | 201 |
| 15-15LK | 569   | 609 | 404 | 342 | 495 | 675 | 471 | 497 | 521 | 75.3 | 264 | 33   | 8  | 7  | 65 | 30 | 380 | 309 | 272 | 197 | 211 | 201 |
| 18-13L  | 684   | 739 | 478 | 415 | 608 | 610 | 430 | 456 | 480 | 66.5 | 314 | 28   | 8  | 7  | 65 | 25 | 457 | 376 | 340 | 262 | 283 | 278 |
| 18-13LK | 684   | 739 | 478 | 415 | 608 | 610 | 430 | 456 | 480 | 60.6 | 314 | 38   | 10 | 8  | 60 | 35 | 457 | 376 | 340 | 262 | 283 | 278 |
| 18-18L  | 684   | 739 | 478 | 415 | 608 | 740 | 557 | 583 | 607 | 68   | 314 | 28   | 8  | 7  | 65 | 25 | 457 | 376 | 340 | 262 | 283 | 278 |
| 18-18LK | 684   | 739 | 477 | 415 | 608 | 790 | 557 | 583 | 607 | 87.1 | 314 | 38   | 10 | 8  | 70 | 35 | 457 | 376 | 340 | 262 | 283 | 278 |


АТ - L2



Technical Specifications

| Model   | A     | B   | C   | D   | E   | I    | J   | K   | L    | M   | N   | P   | Q    | V   | X    | t  | t1 | W  | d  | H1  | H2  | H3  | X1  | X2  | X3  |
|---------|-------|-----|-----|-----|-----|------|-----|-----|------|-----|-----|-----|------|-----|------|----|----|----|----|-----|-----|-----|-----|-----|-----|
| 7-7L2   | 312   | 328 | 228 | 192 | 180 | /    | 259 | 279 | 742  | 80  | 152 | 184 | 862  | 164 | 22.5 | 6  | 6  | 60 | 20 | 224 | 164 | 164 | 90  | 90  | 90  |
| 8-8L2   | 346   | 365 | 256 | 216 | 224 | /    | 287 | 312 | 838  | 95  | 164 | 214 | 978  | 189 | 22.5 | 6  | 6  | 60 | 20 | 245 | 184 | 181 | 112 | 112 | 112 |
| 9-7L2   | 380   | 387 | 262 | 215 | 300 | /    | 232 | 258 | 698  | 90  | 185 | 184 | 828  | 159 | 22.5 | 6  | 6  | 60 | 20 | 253 | 199 | 177 | 119 | 124 | 123 |
| 9-9L2   | 380   | 387 | 262 | 215 | 300 | /    | 298 | 324 | 890  | 90  | 185 | 244 | 1020 | 218 | 28   | 8  | 7  | 60 | 25 | 253 | 199 | 177 | 119 | 124 | 123 |
| 10-8L2  | 425   | 443 | 289 | 249 | 340 | /    | 265 | 291 | 794  | 90  | 203 | 214 | 924  | 188 | 28   | 8  | 7  | 60 | 25 | 287 | 227 | 198 | 136 | 132 | 135 |
| 10-10L2 | 425   | 443 | 289 | 249 | 340 | /    | 331 | 357 | 976  | 90  | 203 | 264 | 1106 | 238 | 28   | 8  | 7  | 60 | 25 | 287 | 227 | 198 | 136 | 132 | 135 |
| 12-9L2  | 491.5 | 521 | 341 | 294 | 408 | /    | 309 | 335 | 912  | 110 | 230 | 244 | 1082 | 218 | 28   | 8  | 7  | 60 | 25 | 332 | 266 | 232 | 161 | 153 | 161 |
| 12-12L2 | 491.5 | 521 | 341 | 294 | 408 | 1224 | 395 | 421 | 1164 | 110 | 230 | 324 | /    | 298 | 33   | 8  | 7  | 70 | 30 | 332 | 266 | 232 | 161 | 153 | 161 |
| 15-11L2 | 569   | 609 | 404 | 342 | 495 | 1170 | 373 | 399 | 1090 | 130 | 264 | 294 | /    | 268 | 33   | 8  | 7  | 70 | 30 | 380 | 309 | 272 | 197 | 211 | 201 |
| 15-15L2 | 569   | 609 | 404 | 342 | 495 | 1456 | 471 | 497 | 1376 | 130 | 264 | 384 | /    | 358 | 33   | 8  | 7  | 70 | 30 | 380 | 309 | 272 | 197 | 211 | 201 |
| 18-13L2 | 684   | 739 | 478 | 415 | 608 | 1343 | 430 | 454 | 1253 | 140 | 314 | 343 | /    | 319 | 38   | 10 | 8  | 90 | 35 | 457 | 376 | 340 | 262 | 283 | 278 |
| 18-18L2 | 684   | 739 | 478 | 415 | 608 | 1702 | 557 | 581 | 1622 | 130 | 314 | 458 | /    | 434 | 38   | 10 | 8  | 90 | 35 | 457 | 376 | 340 | 262 | 283 | 278 |


АТ - R(RK)



Technical Specifications

| Model   | A   | B   | C   | D   | E   | F   | G   | H  | I   | J   | K   | L   | M     | N     | R | t  | t1 | W  | X    | d  | U×S   |
|---------|-----|-----|-----|-----|-----|-----|-----|----|-----|-----|-----|-----|-------|-------|---|----|----|----|------|----|-------|
| 7-7R    | 323 | 336 | 228 | 192 | 180 | 180 | 294 | 29 | 420 | 259 | 281 | 299 | 57    | 152   | 6 | 6  | 6  | 40 | 22.5 | 20 | 9×12  |
| 8-8R    | 348 | 370 | 256 | 216 | 224 | 224 | 314 | 34 | 460 | 287 | 312 | 337 | 63    | 164   | 3 | 6  | 6  | 50 | 22.5 | 20 | 9×12  |
| 9-7R    | 385 | 399 | 262 | 215 | 274 | 324 | 349 | 36 | 388 | 232 | 254 | 272 | 54.5  | 185   | 6 | 6  | 6  | 40 | 22.5 | 20 | 9×12  |
| 9-9R    | 385 | 399 | 262 | 215 | 274 | 324 | 349 | 36 | 460 | 298 | 320 | 338 | 57.5  | 185   | 6 | 6  | 6  | 50 | 22.5 | 20 | 9×12  |
| 10-8R   | 431 | 455 | 289 | 249 | 330 | 390 | 395 | 36 | 425 | 265 | 287 | 305 | 56.5  | 203   | 6 | 8  | 7  | 40 | 28   | 25 | 11×16 |
| 10-10R  | 431 | 455 | 289 | 249 | 330 | 390 | 395 | 36 | 490 | 331 | 353 | 371 | 56    | 203   | 6 | 8  | 7  | 55 | 28   | 25 | 11×16 |
| 12-9R   | 494 | 527 | 341 | 294 | 371 | 443 | 458 | 36 | 490 | 309 | 339 | 369 | 67    | 230   | 3 | 8  | 7  | 50 | 28   | 25 | 11×16 |
| 12-12R  | 494 | 527 | 341 | 294 | 371 | 443 | 458 | 36 | 600 | 395 | 425 | 455 | 79    | 230   | 3 | 8  | 7  | 40 | 28   | 25 | 11×16 |
| 15-11R  | 575 | 619 | 402 | 343 | 449 | 531 | 539 | 36 | 585 | 373 | 403 | 433 | 82.5  | 266.7 | 4 | 8  | 7  | 50 | 28   | 25 | 11×16 |
| 15-11RK | 575 | 619 | 402 | 343 | 449 | 531 | 539 | 36 | 625 | 373 | 403 | 433 | 99.3  | 266.7 | 4 | 8  | 7  | 40 | 33   | 30 | 11×16 |
| 15-15R  | 575 | 619 | 402 | 343 | 449 | 531 | 539 | 36 | 685 | 471 | 501 | 531 | 83.5  | 266.7 | 4 | 8  | 7  | 65 | 28   | 25 | 11×16 |
| 15-15RK | 575 | 619 | 402 | 343 | 449 | 531 | 539 | 36 | 725 | 471 | 501 | 531 | 100.3 | 266.7 | 4 | 8  | 7  | 65 | 33   | 30 | 11×16 |
| 18-13R  | 690 | 751 | 478 | 415 | 544 | 641 | 654 | 36 | 666 | 430 | 470 | 510 | 94.5  | 314   | 6 | 8  | 7  | 65 | 28   | 25 | 11×16 |
| 18-13RK | 690 | 751 | 478 | 415 | 544 | 641 | 654 | 36 | 666 | 430 | 470 | 510 | 88.6  | 314   | 6 | 10 | 8  | 55 | 38   | 35 | 11×16 |
| 18-18R  | 690 | 751 | 478 | 415 | 544 | 641 | 654 | 36 | 790 | 557 | 597 | 637 | 93    | 314   | 6 | 8  | 7  | 65 | 28   | 25 | 11×16 |
| 18-18RK | 690 | 751 | 478 | 415 | 544 | 641 | 654 | 36 | 790 | 557 | 597 | 637 | 89.8  | 314   | 6 | 10 | 8  | 70 | 38   | 35 | 11×16 |

# AT 18-18



Performance shown is for installation type B, free inlet, duct outlet, and doesn't include the effects of appurtenances in the airstream. Power rating kW doesn't includedrive lesses.