

FE2owlet-ETAvent

FN030-6I_.0E._7



Leistungsdaten



Performance data

1~ 200...277 V
50/60 Hz IP 44

Anschlussplan KT00036A
Connection diagram

P_1	0,15	kW
I_n	1,15-0,84	A
n	1900	min ⁻¹
t_R	60	°C

Kennliniendaten / Characteristic data




Type Type	Artikel-Nr. Article no.	Bauform Design	Luftförderrichtung Airflow direction	Gewicht Weight	Maßblatt Dimensions
FN030-6IA.0E.A7	140 027	A	A	2,6 kg	L-KL-2628
FN030-6ID.0E.A7	140 031	D	A	3,0 kg	L-KL-2636
FN030-6IL.0E.A7	140 035	L	A	4,6 kg	L-KL-2644
FN030-6IA.0E.V7	140 039	A	V	2,6 kg	L-KL-2629
FN030-6II.0E.V7	140 043	I	V	3,0 kg	L-KL-2637
FN030-6IH.0E.V7	140 047	H	V	4,6 kg	L-KL-2645
FN030-6IK.0E.V7	140 051	K	V	3,6 kg	L-KL-2650


Abmessungen

Dimensions


FN030-6IA.0E.A7



FN030-6ID.0E.A7




FN030-6IL.0E.A7




Abmessungen

Dimensions


FN030-6IA.0E.V7



FN030-6II.0E.V7



FN030-6IH.0E.V7



FN030-6IK.0E.V7

