

Technische Daten


Radialventilatoren

Baureihen RH..C-FREvent,
ER..C-FREvent,
GR..C-FREvent

Technical data

Centrifugal fans


Series RH..C-FREvent,
ER..C-FREvent,
GR..C-FREvent



Schnellauswahl
Radialventilatoren
Baureihe RH..C-FREvent

Quick selection
Centrifugal fans
Series RH..C-FREvent

Kennfeld / Characteristic diagram FREvent



- ① RH35C-6HK.6F.1R
- ② RH40C-6HK.6F.1R
- ③ RH45C-6HK.6K.1R
- ④ RH50C-6HK.6F.1R
- ⑤ RH50C-6HK.6N.1R
- ⑥ RH56C-6HK.6F.1R
- ⑦ RH56C-6HK.6N.1R
- ⑧ RH63C-6HK.6N.1R

FREvent

RH35C-6HK.6F.1R



Leistungsdaten Performance data



3~ 380...480 V
50/60 Hz IP 54

Anschlussplan EMCU01K0
Connection diagram

P_1	2,6	kW
I	4,3-3,6	A
n	3070	min ⁻¹
t_R	40	°C

Kennliniendaten / Characteristic data


gemessen in Volldüse / measured in full bell mouth



Artikel-Nr.
Article no.

Volldüse / Full bell mouth	00401296
----------------------------	----------

Abmessungen / Dimensions



Einbaulagen Installation positions

Motorwelle horizontal
Horizontal motor shaft
H

Motorwelle vertikal
Vertical motor shaft


Vo Laufrad von oben ansaugend
Impeller at the top

Vu Laufrad von unten ansaugend
Impeller at the bottom

Ventilator-Typ Fan type	Artikel-Nr. Article no.	kg	A	B2	DA	DC	DD	DE	DN	D1	D5	E	E1	F	H	H1	H2	H5	U	Z
RH35C-6HK.6F.1R	112 701	23	218	98	378	205	406	218	406	286	8,5	240	352	20	397	66	144	192	3,5	4x90°

ER35C-6HK.6F.1R

Einbaulage Motorwelle horizontal
Installation position horizontal motor shaft
H




L-KL-2531/5

Ventilator-Typ Fan type	Artikel-Nr. Article no.	kg	elektr. Anschluss electr. Connection	A	H	H1	H3	L	L2	T	T1	T2	T7	T3	T4	T5	T6
ER35C-6HK.6F.1R	112 561/A01	39	integr. Contr.	460	520	270	12	500	385	570	407	276	217	398	45	374	43

GR35C-6HK.6F.1R

Einbaulage Motorwelle horizontal
Installation position horizontal motor shaft
H



L-KL-2525/3


Ventilator-Typ Fan type	Artikel-Nr. Article no.	kg	elektr. Anschluss electr. Connection	A	D2	DA	DE	E2	H	H1	H3	L	L1	L2
GR35C-6HK.6F.1R	112 661/H01	35	integr. Contr.	470	406	378	218	352	278	395	15	500	415	443

GR35C-6HK.6F.1R

Einbaulage Motorwelle vertikal
Installation position vertical motor shaft

LaufRad von oben ansaugend
Impeller at the top
Vo

LaufRad von unten ansaugend
Impeller at the bottom
Vu



L-KL-2713/1

Ventilator-Typ Fan type	Artikel-Nr. Article no.	kg	elektr. Anschluss electr. Connection	A	D2	DA	DE	E2	H	H1	H3	L	L1
GR35C-6HK.6F.1R	112 661/O01	33	integr. Contr.	450	406	378	218	352	278	395	15	500	415

FREvent

RH40C-6HK.6F.1R



Leistungsdaten Performance data


3~ 380...480 V
50/60 Hz IP 54

Anschlussplan EMCU01K0
Connection diagram

P_1	3,0	kW
I	4,8-5,1	A
n	2500	min ⁻¹
t_R	40	°C


Kennliniendaten / Characteristic data

gemessen in Volldüse / measured in full bell mouth




Artikel-Nr.
Article no.

Volldüse / Full bell mouth	00401297
----------------------------	----------



Abmessungen / Dimensions



Einbaulagen Installation positions

Motorwelle horizontal
Horizontal motor shaft
H

Motorwelle vertikal
Vertical motor shaft
Vo


Laufwerk von oben ansaugend
Impeller at the top

Vu Laufwerk von unten ansaugend
Impeller at the bottom

Ventilator-Typ Fan type	Artikel-Nr. Article no.	kg	A	B2	DA	DC	DD	DE	DN	D1	D5	E	E1	F	H	H1	H2	H5	U	Z
RH40C-6HK.6F.1R	112 702	26	218	111	418	205	457	246	457	322	8,5	240	392	20	423	74	163	211	4	4x90°

ER40C-6HK.6F.1R

Einbaulage Motorwelle horizontal
Installation position horizontal motor shaft
H




L-KL-2531/5

Ventilator-Typ Fan type	Artikel-Nr. Article no.	kg	elektr. Anschluss electr. Connection	A	H	H1	H3	L	L2	T	T1	T2	T7	T3	T4	T5	T6
ER40C-6HK.6F.1R	112 567/A01	42	integr. Contr.	460	520	270	12	500	385	570	433	302	243	422	43	394	43

GR40C-6HK.6F.1R

Einbaulage Motorwelle horizontal
Installation position horizontal motor shaft
H



L-KL-2525/3


Ventilator-Typ Fan type	Artikel-Nr. Article no.	kg	elektr. Anschluss electr. Connection	A	D2	DA	DE	E2	H	H1	H3	L	L1	L2
GR40C-6HK.6F.1R	112 667/H01	43	integr. Contr.	519	457	418	246	392	304	421	15	550	460	493

GR40C-6HK.6F.1R

Einbaulage Motorwelle vertikal
Installation position vertical motor shaft

Lauftrad von oben ansaugend
Impeller at the top
Vo

Lauftrad von unten ansaugend
Impeller at the bottom
Vu



L-KL-2713/1

Ventilator-Typ Fan type	Artikel-Nr. Article no.		 kg	elektr. Anschluss electr. Connection	A	D2	DA	DE	E2	H	H1	H3	L	L1
GR40C-6HK.6F.1R	112 667/O01	Vo	41	integr. Contr.	500	457	418	246	392	304	421	15	550	460
GR40C-6HK.6F.1R	112 667/U01	Vu	41	integr. Contr.	500	457	418	246	392	316	433	15	550	460

FREvent

RH45C-6HK.6K.1R



Leistungsdaten Performance data

3~ 380...480 V
50/60 Hz IP 54

Anschlussplan EMCU01K0
Connection diagram


P_1	3,4	kW
I	5,5-4,3	A
n	2130	min ⁻¹
t_R	40	°C

Kennliniendaten / Characteristic data


gemessen in Volldüse / measured in full bell mouth

Artikel-Nr.
Article no.


Volldüse / Full bell mouth 00401298



RH45C6K1



Abmessungen / Dimensions



Einbaulagen Installation positions

Motorwelle horizontal
Horizontal motor shaft
H

Motorwelle vertikal
Vertical motor shaft
Vo


Laufwerk von oben ansaugend
Impeller at the top

Vu Laufwerk von unten ansaugend
Impeller at the bottom

Ventilator-Typ Fan type	Artikel-Nr. Article no.	kg	A	B2	DA	DC	DD	DE	DN	D1	D5	E	E1	F	H	H1	H2	H5	U	Z
RH45C-6HK.6K.1R	112 703	30	218	125	464	205	515	278	515	364	8,5	240	438	20	452	83	183	231	4,5	4x90°

ER45C-6HK.6K.1R

Einbaulage Motorwelle horizontal
Installation position horizontal motor shaft
H




L-KL-2531/6

Ventilator-Typ Fan type	Artikel-Nr. Article no.	kg	elektr. Anschluss electr. Connection	A	H	H1	H3	L	L2	T	T1	T2	T7	T3	T4	T5	T6
ER45C-6HK.6K.1R	112 573/A01	54	integr. Contr.	560	650	335	12	630	465	720	462	329	271	450	43	426	41

GR45C-6HK.6K.1R

Einbaulage Motorwelle horizontal
Installation position horizontal motor shaft
H



L-KL-2525/3


Ventilator-Typ Fan type	Artikel-Nr. Article no.	kg	elektr. Anschluss electr. Connection	A	D2	DA	DE	E2	H	H1	H3	L	L1	L2
GR45C-6HK.6K.1R	112 673/H01	51	integr. Contr.	580	515	464	278	438	332	450	15	630	516	555

GR45C-6HK.6K.1R

Einbaulage Motorwelle vertikal
Installation position vertical motor shaft

LaufRad von oben ansaugend
Impeller at the top
Vo

LaufRad von unten ansaugend
Impeller at the bottom
Vu



L-KL-2713/1

Ventilator-Typ Fan type	Artikel-Nr. Article no.		 kg	elektr. Anschluss electr. Connection	A	D2	DA	DE	E2	H	H1	H3	L	L1
GR45C-6HK.6K.1R	112 673/O01	Vo	48	integr. Contr.	550	515	464	278	438	332	450	15	600	516
GR45C-6HK.6K.1R	112 673/U01	Vu	48	integr. Contr.	550	515	464	278	438	344	462	15	600	516

FREvent

RH50C-6HK.6F.1R



Leistungsdaten Performance data


3~ 380...480 V
50/60 Hz IP 54

Anschlussplan EMCU01K0
Connection diagram

P_1	1,9	kW
I	3,1-2,41	A
n	1420	min ⁻¹
t_R	40	°C

Kennliniendaten / Characteristic data


gemessen in Volldüse / measured in full bell mouth




Artikel-Nr.
Article no.

Volldüse / Full bell mouth

00401299



Abmessungen / Dimensions



Einbaulagen Installation positions

Motorwelle horizontal
Horizontal motor shaft
H

Motorwelle vertikal
Vertical motor shaft
Vo


Laufwerk von oben ansaugend
Impeller at the top

Vu Laufwerk von unten ansaugend
Impeller at the bottom

Ventilator-Typ Fan type	Artikel-Nr. Article no.	kg	A	B2	DA	DC	DD	DE	DN	D1	D5	E	E1	F	H	H1	H2	H5	U	Z
RH50C-6HK.6F.1R	112 704	33	218	140	514	205	579	312	579	410	8,5	240	488	20	485	94	206	254	5	4x90°

ER50C-6HK.6F.1R

Einbaulage Motorwelle horizontal
Installation position horizontal motor shaft
H




L-KL-2531/6

Ventilator-Typ Fan type	Artikel-Nr. Article no.	kg	elektr. Anschluss electr. Connection	A	H	H1	H3	L	L2	T	T1	T2	T7	T3	T4	T5	T6
ER50C-6HK.6F.1R	112 578/A01	57	integr. Contr.	560	650	335	20	630	465	728	503	362	313	492	51	436	64

GR50C-6HK.6F.1R

Einbaulage Motorwelle horizontal
Installation position horizontal motor shaft
H



L-KL-2525/3


Ventilator-Typ Fan type	Artikel-Nr. Article no.	kg	elektr. Anschluss electr. Connection	A	D2	DA	DE	E2	H	H1	H3	L	L1	L2
GR50C-6HK.6F.1R	112 678/H01	61	integr. Contr.	635	579	514	312	488	371	483	25	670	580	614

GR50C-6HK.6F.1R

Einbaulage Motorwelle vertikal
Installation position vertical motor shaft

Lauftrad von oben ansaugend
Impeller at the top
Vo

Lauftrad von unten ansaugend
Impeller at the bottom
Vu



L-KL-2713/1

Ventilator-Typ Fan type	Artikel-Nr. Article no.		 kg	elektr. Anschluss electr. Connection	A	D2	DA	DE	E2	H	H1	H3	L	L1
GR50C-6HK.6F.1R	112 678/O01	Vo	61	integr. Contr.	615	579	514	312	488	371	483	25	670	580
GR50C-6HK.6F.1R	112 678/U01	Vu	61	integr. Contr.	615	579	514	312	488	392	504	25	670	580

FREvent

RH50C-6HK.6N.1R



Leistungsdaten Performance data

3~ 380...480 V
50/60 Hz IP 54

Anschlussplan EMCU01K0
Connection diagram



P_1	3,15	kW
I	5,0-4,0	A
n	1680	min ⁻¹
t_R	40	°C

Kennliniendaten / Characteristic data


gemessen in Volldüse / measured in full bell mouth

Artikel-Nr.
Article no.

Volldüse / Full bell mouth 00401299



Abmessungen / Dimensions



Einbaulagen Installation positions

Motorwelle horizontal
Horizontal motor shaft
H

Motorwelle vertikal
Vertical motor shaft


Vo Laufrad von oben ansaugend
Impeller at the top

Vu Laufrad von unten ansaugend
Impeller at the bottom

Ventilator-Typ Fan type	Artikel-Nr. Article no.	kg	A	B2	DA	DC	DD	DE	DN	D1	D5	E	E1	F	H	H1	H2	H5	U	Z
RH50C-6HK.6N.1R	112 705	40	218	140	514	205	579	312	579	410	8,5	240	488	20	485	94	206	254	5	4x90°

ER50C-6HK.6N.1R

Einbaulage Motorwelle horizontal
Installation position horizontal motor shaft
H




L-KL-2531/6

Ventilator-Typ Fan type	Artikel-Nr. Article no.	kg	elektr. Anschluss electr. Connection	A	H	H1	H3	L	L2	T	T1	T2	T7	T3	T4	T5	T6
ER50C-6HK.6N.1R	112 579/A01	64	integr. Contr.	560	650	335	20	630	465	728	503	362	313	494	51	468	51

GR50C-6HK.6N.1R

Einbaulage Motorwelle horizontal
Installation position horizontal motor shaft
H



L-KL-2525/3


Ventilator-Typ Fan type	Artikel-Nr. Article no.	kg	elektr. Anschluss electr. Connection	A	D2	DA	DE	E2	H	H1	H3	L	L1	L2
GR50C-6HK.6N.1R	112 679/H01	68	integr. Contr.	635	579	514	312	488	371	483	25	670	580	614

GR50C-6HK.6N.1R

Einbaulage Motorwelle vertikal
Installation position vertical motor shaft

Lauftrad von oben ansaugend
Impeller at the top
Vo

Lauftrad von unten ansaugend
Impeller at the bottom
Vu



L-KL-2713/1

Ventilator-Typ Fan type	Artikel-Nr. Article no.		kg	elektr. Anschluss electr. Connection	A	D2	DA	DE	E2	H	H1	H3	L	L1
GR50C-6HK.6N.1R	112 679/O01	Vo	69	integr. Contr.	615	579	514	312	488	371	483	25	670	580
GR50C-6HK.6N.1R	112 679/U01	Vu	69	integr. Contr.	615	579	514	312	488	392	504	25	670	580

RH.C
ER.C
GR.C

FREvent

RH56C-6HK.6F.1R



Leistungsdaten Performance data



3~ 380...480 V
50/60 Hz IP 54

Anschlussplan EMCU01K0
Connection diagram

P_1	1,4	kW
I_1	2,3-1,8	A
n	1070	min ⁻¹
t_R	40	°C

Kennliniendaten / Characteristic data


gemessen in Volldüse / measured in full bell mouth



Artikel-Nr.
Article no.

Volldüse / Full bell mouth	00401300
----------------------------	----------

Abmessungen / Dimensions



Einbaulagen Installation positions

Motorwelle horizontal
Horizontal motor shaft
H

Motorwelle vertikal
Vertical motor shaft


Vo Laufrad von oben ansaugend
Impeller at the top

Vu Laufrad von unten ansaugend
Impeller at the bottom

Ventilator-Typ Fan type	Artikel-Nr. Article no.	kg	A	B2	DA	DC	DD	DE	DN	D1	D5	E	E1	F	H	H1	H2	H5	U	Z
RH56C-6HK.6F.1R	112 706	37	218	156	564	205	644	347	644	455	8,5	240	538	20	517	104	229	277	6	4x90°

ER56C-6HK.6F.1R

Einbaulage Motorwelle horizontal
Installation position horizontal motor shaft
H




L-KL-2531/6

Ventilator-Typ Fan type	Artikel-Nr. Article no.	kg	elektr. Anschluss electr. Connection	A	H	H1	H3	L	L2	T	T1	T2	T7	T3	T4	T5	T6
ER56C-6HK.6F.1R	112 585/A01	69	integr. Contr.	720	813	433	20	760	660	720	535	394	345	524	43	488	43

GR56C-6HK.6F.1R

Einbaulage Motorwelle horizontal
Installation position horizontal motor shaft
H



L-KL-2525/3


Ventilator-Typ Fan type	Artikel-Nr. Article no.	kg	elektr. Anschluss electr. Connection	A	D2	DA	DE	E2	H	H1	H3	L	L1	L2
GR56C-6HK.6F.1R	112 685/H01	74	integr. Contr.	689	644	564	347	538	403	515	25	730	645	666

GR56C-6HK.6F.1R

Einbaulage Motorwelle vertikal
Installation position vertical motor shaft

Laufwerk von oben ansaugend
Impeller at the top
Vo

Laufwerk von unten ansaugend
Impeller at the bottom
Vu



L-KL-2713/1

Ventilator-Typ Fan type	Artikel-Nr. Article no.		kg	elektr. Anschluss electr. Connection	A	D2	DA	DE	E2	H	H1	H3	L	L1
GR56C-6HK.6F.1R	112 685/O01	Vo	75	integr. Contr.	690	644	564	347	538	403	515	25	750	645
GR56C-6HK.6F.1R	112 685/U01	Vu	75	integr. Contr.	690	644	564	347	538	424	536	25	750	645

FREvent

RH56C-6HK.6N.1R



Leistungsdaten Performance data



3~ 380...480 V
50/60 Hz IP 54

Anschlussplan EMCU01K0
Connection diagram

P_1	3,17	kW
I	5,2-4,1	A
n	1440	min ⁻¹
t_R	40	°C

Kennliniendaten / Characteristic data


gemessen in Volldüse / measured in full bell mouth



Artikel-Nr.
Article no.

Volldüse / Full bell mouth	00401300
----------------------------	----------

Abmessungen / Dimensions



Einbaulagen Installation positions

Motorwelle horizontal
Horizontal motor shaft
H

Motorwelle vertikal
Vertical motor shaft
Vo


Laufwerk von oben ansaugend
Impeller at the top

Vu Laufwerk von unten ansaugend
Impeller at the bottom

Ventilator-Typ Fan type	Artikel-Nr. Article no.	kg	A	B2	DA	DC	DD	DE	DN	D1	D5	E	E1	F	H	H1	H2	H5	U	Z
RH56C-6HK.6N.1R	112 633	45	218	156	564	205	644	347	644	455	8,5	240	538	20	517	104	229	277	6	4x90°

ER56C-6HK.6N.1R

Einbaulage Motorwelle horizontal
Installation position horizontal motor shaft
H




L-KL-2531/6

Ventilator-Typ Fan type	Artikel-Nr. Article no.	kg	elektr. Anschluss electr. Connection	A	H	H1	H3	L	L2	T	T1	T2	T7	T3	T4	T5	T6
ER56C-6HK.6N.1R	112 586/A01	76	integr. Contr.	720	813	433	20	760	660	720	535	394	345	530	43	498	43

GR56C-6HK.6N.1R

Einbaulage Motorwelle horizontal
Installation position horizontal motor shaft
H



L-KL-2525/3


Ventilator-Typ Fan type	Artikel-Nr. Article no.	kg	elektr. Anschluss electr. Connection	A	D2	DA	DE	E2	H	H1	H3	L	L1	L2
GR56C-6HK.6N.1R	112 686/H01	81	integr. Contr.	689	644	564	347	538	403	515	25	730	645	666

GR56C-6HK.6N.1R

Einbaulage Motorwelle vertikal
Installation position vertical motor shaft

Lauftrad von oben ansaugend
Impeller at the top
Vo

Lauftrad von unten ansaugend
Impeller at the bottom
Vu



L-KL-2713/1

Ventilator-Type Fan type	Artikel-Nr. Article no.		 kg	elektr. Anschluss electr. Connection	A	D2	DA	DE	E2	H	H1	H3	L	L1
GR56C-6HK.6N.1R	112 686/O01	Vo	82	integr. Contr.	690	644	564	347	538	403	515	25	750	645
GR56C-6HK.6N.1R	112 686/U01	Vu	82	integr. Contr.	690	644	564	347	538	424	536	25	750	645

FREvent

RH63C-6HK.6N.1R



Leistungsdaten Performance data



3~ 380...480 V
50/60 Hz IP 54

Anschlussplan EMCU01K0
Connection diagram

P_1	2,6	kW
I	4,2-3,3	A
n	1120	min ⁻¹
t_R	40	°C

Kennliniendaten / Characteristic data


gemessen in Volldüse / measured in full bell mouth



Artikel-Nr.
Article no.

Volldüse / Full bell mouth	00401301
----------------------------	----------

Abmessungen / Dimensions



Einbaulagen Installation positions

Motorwelle horizontal
Horizontal motor shaft
H

Motorwelle vertikal
Vertical motor shaft
Vo


Laufrad von oben ansaugend
Impeller at the top

Vu Laufrad von unten ansaugend
Impeller at the bottom

Ventilator-Typ Fan type	Artikel-Nr. Article no.	kg	A	B2	DA	DC	DD	DE	DN	D1	D5	E	E1	F	H	H1	H2	H5	U	Z
RH63C-6HK.6N.1R	112 707	56	218	174	634	205	721	389	721	510	10,5	240	600	20	557	117	256	304	6,5	6x60°

ER63C-6HK.6N.1R

Einbaulage Motorwelle horizontal
Installation position horizontal motor shaft
H




L-KL-2531/6

Ventilator-Typ Fan type	Artikel-Nr. Article no.	kg	elektr. Anschluss electr. Connection	A	H	H1	H3	L	L2	T	T1	T2	T7	T3	T4	T5	T6
ER63C-6HK.6N.1R	112 592/A01	87	integr. Contr.	720	813	433	20	760	660	720	575	433	384	580	43	544	43

GR63C-6HK.6N.1R

Einbaulage Motorwelle horizontal
Installation position horizontal motor shaft
H



L-KL-2525/3


Ventilator-Typ Fan type	Artikel-Nr. Article no.	kg	elektr. Anschluss electr. Connection	A	D2	DA	DE	E2	H	H1	H3	L	L1	L2
GR63C-6HK.6N.1R	112 692/H01	104	integr. Contr.	800	721	634	389	600	452	555	25	840	722	770

GR63C-6HK.6N.1R

Einbaulage Motorwelle vertikal
Installation position vertical motor shaft

Lauftrad von oben ansaugend
Impeller at the top
Vo

Lauftrad von unten ansaugend
Impeller at the bottom
Vu



L-KL-2713/1

Ventilator-Typ Fan type	Artikel-Nr. Article no.		kg	elektr. Anschluss electr. Connection	A	D2	DA	DE	E2	H	H1	H3	L	L1
GR63C-6HK.6N.1R	112 692/O01	Vo	104	integr. Contr.	780	721	634	389	600	452	555	25	840	722
GR63C-6HK.6N.1R	112 692/U01	Vu	104	integr. Contr.	780	721	634	389	600	473	576	25	840	722

