

RH..C-ECblue

RH50C-ZID.GG.1R

Leistungsdaten Performance data


3~ 200...240V
50/60Hz IP54

Anschlussplan MOEA03K0
Connection diagram

P_1	3,6	kW
I	11-9,2	A
n	1870	min ⁻¹
t_R	50	°C

Kennliniendaten / Characteristic data

gemessen mit Volldüse / measured with full bell mouth




Artikel-Nr.
Article no.


Volldüse / Full bell mouth

00401299

..... Drehzahl für
Operating speed for
 $t_R = 60\text{ °C}$



Abmessungen / Dimensions



Einbaulagen

Installation positions

Motorwelle horizontal
Horizontal motor shaft
H

Motorwelle vertikal
Vertical motor shaft


Vo Laufrad von oben ansaugend
Impeller at the top

Vu Laufrad von unten ansaugend
Impeller at the bottom

Ventilator-Typ Fan type	Artikel-Nr. Article no.	Controller	kg	A	B2	DA	DD	DL	DN	D1	D5	E	E1	F1	H	H1	H2	H5	T1	U	Z
RH50C-ZID.GG.1R	113 972 113 973	Basic Premium	25	228	140	514	579	326	579	410	8,5	252	488	20	433	94	215	274	2,0	5,0	4x90°

ER50C-ZID.GG.1R

Einbaulage Motorwelle horizontal
Installation position horizontal motor shaft
H




L-KL-2818

Ventilator-Typ Fan type	Artikel-Nr. Article no.	kg	A	H	H1	H3	L	L2	T	T1	T3	T4	T5	T6	T7
ER50C-ZID.GG.1R	114 084/A01	57	560	650	335	20	630	465	888	451	596	48	548	58	322

GR50C-ZID.GG.1R

Einbaulage Motorwelle horizontal
Installation position horizontal motor shaft
H



L-KL-2812


Ventilator-Typ Fan type	Artikel-Nr. Article no.	kg	A	H	H1	H3	H4	L	L1	L2
GR50C-ZID.GG.1R	114 044/H01	53	635	391	431	25	30	670	580	614

GR50C-ZID.GG.1R

Einbaulage Motorwelle vertikal
Installation position vertical motor shaft

Lauftrad von oben ansaugend
Impeller at the top
Vo

Lauftrad von unten ansaugend
Impeller at the bottom
Vu



L-KL-2813


Ventilator-Type Fan type	Artikel-Nr. Article no.			A	G_	H	H1	H3	H4	L	L1
GR50C-ZID.GG.1R	114 044/O01	Vo	53	615	M8	391	431	25	30	670	580
GR50C-ZID.GG.1R	114 044/U01	Vu	53	615	M8	413	453	25	30	670	580

RH50C-ZID.GG.1R

**3~ 380...480V
50/60Hz IP54**

P_1	3,8	kW
I_n	6,1-4,8	A
t_B	1920	min^{-1}
	60	$^{\circ}\text{C}$

gemessen mit Volldüse / *measured with full bell mouth*



Motorwelle horizontal
Horizontal motor shaft
H

Motorwelle vertikal
Vertical motor shaft


Vo Laufrad von oben ansaugend
Impeller at the top

Vu Laufrad von unten ansaugend
Impeller at the bottom

54 RH..C-ECblue, Vpro-ECblue

ER50C-ZID.GG.1R

Einbaulage Motorwelle horizontal
Installation position horizontal motor shaft
H




L-KL-2818

Ventilator-Typ Fan type	Artikel-Nr. Article no.	kg	A	H	H1	H3	L	L2	T	T1	T3	T4	T5	T6	T7
ER50C-ZID.GG.1R	114 082/A01	57	560	650	335	20	630	465	888	451	596	48	548	58	322

GR50C-ZID.GG.1R

Einbaulage Motorwelle horizontal
Installation position horizontal motor shaft
H



L-KL-2812


Ventilator-Typ Fan type	Artikel-Nr. Article no.	kg	A	H	H1	H3	H4	L	L1	L2
GR50C-ZID.GG.1R	114 042/H01	53	635	391	431	25	30	670	580	614

GR50C-ZID.GG.1R

Einbaulage Motorwelle vertikal
Installation position vertical motor shaft

Lauftrad von oben ansaugend
Impeller at the top
Vo

Lauftrad von unten ansaugend
Impeller at the bottom
Vu



L-KL-2813

Ventilator-Typ Fan type	Artikel-Nr. Article no.			A	G_	H	H1	H3	H4	L	L1
GR50C-ZID.GG.1R	114 042/O01	Vo	53	615	M8	391	431	25	30	670	580
GR50C-ZID.GG.1R	114 042/U01	Vu	53	615	M8	413	453	25	30	670	580