

RH..C-ECblue

RH56C-ZID.GG.1R

Leistungsdaten Performance data


3~ 200...240V
50/60Hz IP54

Anschlussplan MOEA03K0
Connection diagram

P_1	3,8	kW
I	12-9,8	A
n	1580	min ⁻¹
t_R	45	°C


Kennliniendaten / Characteristic data

gemessen mit Volldüse / measured with full bell mouth




Artikel-Nr.
Article no.

Volldüse / Full bell mouth 00401300



Abmessungen / Dimensions



Einbaulagen Installation positions


Motorwelle horizontal
Horizontal motor shaft
H

Motorwelle vertikal
Vertical motor shaft
Vo Laufrad von oben ansaugend
Impeller at the top
Vu Laufrad von unten ansaugend
Impeller at the bottom

Ventilator-Typ Fan type	Artikel-Nr. Article no.	Controller	kg	A	B2	DA	DD	DL	DN	D1	D5	E	E1	F1	H	H1	H2	H5	T1	U	Z
RH56C-ZID.GG.1R	113 976 113 977	Basic Premium	26	228	156	564	644	363	644	455	8,5	252	538	20	465	104	238	297	2,0	6,0	4x90°

ER56C-ZID.GG.1R

Einbaulage Motorwelle horizontal
Installation position horizontal motor shaft
H




L-KL-2818

Ventilator-Typ Fan type	Artikel-Nr. Article no.	kg	A	H	H1	H3	L	L2	T	T1	T3	T4	T5	T6	T7
ER56C-ZID.GG.1R	114 088/A01	67	720	813	433	20	760	660	880	483	625	45	590	45	354

GR56C-ZID.GG.1R

Einbaulage Motorwelle horizontal
Installation position horizontal motor shaft
H



L-KL-2812


Ventilator-Typ Fan type	Artikel-Nr. Article no.	kg	A	H	H1	H3	H4	L	L1	L2
GR56C-ZID.GG.1R	114 048/H01	63	689	423	463	25	30	730	645	666

GR56C-ZID.GG.1R

Einbaulage Motorwelle vertikal
Installation position vertical motor shaft

Lauftrad von oben ansaugend
Impeller at the top
Vo

Lauftrad von unten ansaugend
Impeller at the bottom
Vu



L-KL-2813

Ventilator-Typ Fan type	Artikel-Nr. Article no.			A	G_	H	H1	H3	H4	L	L1
GR56C-ZID.GG.1R	114 048/O01	Vo	63	690	M8	423	463	25	30	750	645
GR56C-ZID.GG.1R	114 048/U01	Vu	63	690	M8	444	484	25	30	750	645

RH..C-ECblue

RH56C-ZID.GG.1R

Leistungsdaten Performance data


3~ 380...480V
50/60Hz IP54

Anschlussplan MOEA03K0
Connection diagram

P_1	3,6	kW
I	5,9-4,7	A
n	1580	min ⁻¹
t_R	55	°C


Kennliniendaten / Characteristic data

gemessen mit Volldüse / measured with full bell mouth




Artikel-Nr.
Article no.

Volldüse / Full bell mouth	00401300
----------------------------	----------



Abmessungen / Dimensions



Einbaulagen Installation positions

Motorwelle horizontal
Horizontal motor shaft
H


Motorwelle vertikal
Vertical motor shaft

Vo Laufrad von oben ansaugend
Impeller at the top
Vu Laufrad von unten ansaugend
Impeller at the bottom

Ventilator-Typ Fan type	Artikel-Nr. Article no.	Controller	kg	A	B2	DA	DD	DL	DN	D1	D5	E	E1	F1	H	H1	H2	H5	T1	U	Z
RH56C-ZID.GG.1R	113 974 113 975	Basic Premium	26	228	156	564	644	363	644	455	8,5	252	538	20	465	104	238	297	2,0	6,0	4x90°

ER56C-ZID.GG.1R

Einbaulage Motorwelle horizontal
Installation position horizontal motor shaft
H




L-KL-2818

Ventilator-Typ Fan type	Artikel-Nr. Article no.	kg	A	H	H1	H3	L	L2	T	T1	T3	T4	T5	T6	T7
ER56C-ZID.GG.1R	114 086/A01	67	720	813	433	20	760	660	880	483	625	45	590	45	354

GR56C-ZID.GG.1R

Einbaulage Motorwelle horizontal
Installation position horizontal motor shaft
H



L-KL-2812


Ventilator-Typ Fan type	Artikel-Nr. Article no.	kg	A	H	H1	H3	H4	L	L1	L2
GR56C-ZID.GG.1R	114 046/H01	63	689	423	463	25	30	730	645	666

GR56C-ZID.GG.1R

Einbaulage Motorwelle vertikal
Installation position vertical motor shaft

Lauftrad von oben ansaugend
Impeller at the top
Vo

Lauftrad von unten ansaugend
Impeller at the bottom
Vu



L-KL-2813

Ventilator-Typ Fan type	Artikel-Nr. Article no.	kg	A	G ₁	H	H1	H3	H4	L	L1
GR56C-ZID.GG.1R	114 046/O01	Vo	63	690	M8	423	25	30	750	645
GR56C-ZID.GG.1R	114 046/U01	Vu	63	690	M8	444	25	30	750	645