

Vpro-ECblue

RH56V-ZIK.DG.1R

Leistungsdaten Performance data


3~ 380...480V
50/60Hz IP54

Anschlussplan MOEA03K0
Connection diagram

P_1	1,5	kW
I	2,6-2,1	A
n	1230	min ⁻¹
t_R	40	°C

Kennliniendaten / Characteristic data


gemessen mit Volldüse / measured with full bell mouth




Artikel-Nr.
Article no.

Volldüse / Full bell mouth 00278489

----- Drehzahl für
Operating speed for
 $t_R = 60^\circ\text{C}$



Abmessungen / Dimensions



Einbaulagen Installation positions

Motorwelle horizontal
Horizontal motor shaft
H


Motorwelle vertikal
Vertical motor shaft

- Vo** Laufrad von oben ansaugend
Impeller at the top
- Vu** Laufrad von unten ansaugend
Impeller at the bottom

Ventilator-Typ Fan type	Artikel-Nr. Article no.	Controller	kg	A	B2	DA	DD	DL	DN	D1	D5	E	E1	F1	H	H1	H2	H5	T1	U	Z
RH56V-ZIK.DG.1R	113 905 113 906	Basic Premium	15	169	160	530	584	375	572	459	9,0	190	510	14	415	87	252	278	1,5	5,5	6x60°

GR56V-ZIK.DG.1R

Einbaulage Motorwelle horizontal
Installation position horizontal motor shaft
H



L-KL-2763


Ventilator-Typ Fan type	Artikel-Nr. Article no.	kg	A	H	H1	H3	H4	L	L1	L2
GR56V-ZIK.DG.1R	114 121/H01	51	689	387	413	25	30	730	645	666

GR56V-ZIK.DG.1R

Einbaulage Motorwelle vertikal
Installation position vertical motor shaft

Lauftrad von oben ansaugend
Impeller at the top
Vo

Lauftrad von unten ansaugend
Impeller at the bottom
Vu



L-KL-2764


Ventilator-Typ Fan type	Artikel-Nr. Article no.	kg	A	G	H	H1	H3	H4	L	L1
GR56V-ZIK.DG.1R	114 121/O01	Vo	52	690	M8	387	413	25	30	750
GR56V-ZIK.DG.1R	114 121/U01	Vu	52	690	M8	408	434	25	30	750

RH56V-ZIK.GG.1R

**3~ 200...240V
50/60Hz IP54**

P_1	2,7	kW
I_n	8,4-7,0	A
t_B	1480	min^{-1}
	60	$^{\circ}\text{C}$


gemessen mit Volldüse / *measured with full bell mouth*



Volldüse / <i>Full bell mouth</i>	00278489
-----------------------------------	----------


Vo Laufrad von oben ansaugend
Impeller at the top

Vu Laufrad von unten ansaugend
Impeller at the bottom



GR56V-ZIK.GG.1R

Einbaulage Motorwelle horizontal
Installation position horizontal motor shaft
H



L-KL-2812


Ventilator-Typ Fan type	Artikel-Nr. Article no.	kg	A	H	H1	H3	H4	L	L1	L2
GR56V-ZIK.GG.1R	114 012/H01	59	689	399	439	25	30	730	645	666

GR56V-ZIK.GG.1R

Einbaulage Motorwelle vertikal
Installation position vertical motor shaft

Lauftrad von oben ansaugend
Impeller at the top
Vo

Lauftrad von unten ansaugend
Impeller at the bottom
Vu



L-KL-2813


Ventilator-Typ Fan type	Artikel-Nr. Article no.	kg	A	G	H	H1	H3	H4	L	L1
GR56V-ZIK.GG.1R	114 012/O01	Vo	59	690	M8	399	439	25	30	750
GR56V-ZIK.GG.1R	114 012/U01	Vu	59	690	M8	420	460	25	30	750

RH56V-ZIK.GG.1R

**3~ 380...480V
50/60Hz IP54**

P_1	3,1	kW
I_n	5,0-4,0	A
t_B	1560	min⁻¹
	60	°C


gemessen mit Volldüse / *measured with full bell mouth*



Volldüse / <i>Full bell mouth</i>	00278489
-----------------------------------	----------

Vo Laufrad von oben ansaugend
Impeller at the top


Vu Laufrad von unten ansaugend
Impeller at the bottom



Ventilator-Typ <i>Fan type</i>	Artikel-Nr. <i>Article no.</i>	Controller		A	B2	DA	DD	DL	DN	D1	D5	E	E1	F1	H	H1	H2	H5	T1	U	Z
RH56V-ZIK.GG.1R	113 938 113 939	Basic Premium	23	228	160	530	584	375	572	459	9,0	252	510	20	441	87	252	290	1,5	6,0	6x60°

GR56V-ZIK.GG.1R

Einbaulage Motorwelle horizontal
Installation position horizontal motor shaft
H



L-KL-2812


Ventilator-Typ Fan type	Artikel-Nr. Article no.	kg	A	H	H1	H3	H4	L	L1	L2
GR56V-ZIK.GG.1R	114 010/H01	59	689	399	439	25	30	730	645	666

GR56V-ZIK.GG.1R

Einbaulage Motorwelle vertikal
Installation position vertical motor shaft

Lauftrad von oben ansaugend
Impeller at the top
Vo

Lauftrad von unten ansaugend
Impeller at the bottom
Vu



L-KL-2813


Ventilator-Typ Fan type	Artikel-Nr. Article no.	kg	A	G	H	H1	H3	H4	L	L1
GR56V-ZIK.GG.1R	114 010/O01	Vo	63	690	M8	399	439	25	30	750
GR56V-ZIK.GG.1R	114 010/U01	Vu	63	690	M8	420	460	25	30	750

RH56V-ZIK.GL.1R

**3~ 200...240V
50/60Hz IP54**

P_1	3,2	kW
I_n	9,6-8,0	A
t_B	1570	min ⁻¹
	60	°C


gemessen mit Volldüse / *measured with full bell mouth*



Volldüse / <i>Full bell mouth</i>	00278489
-----------------------------------	----------


Vo Laufrad von oben ansaugend
Impeller at the top

Vu Laufrad von unten ansaugend
Impeller at the bottom



GR56V-ZIK.GL.1R

Einbaulage Motorwelle horizontal
Installation position horizontal motor shaft
H



L-KL-2812


Ventilator-Typ Fan type	Artikel-Nr. Article no.	kg	A	H	H1	H3	H4	L	L1	L2
GR56V-ZIK.GL.1R	114 028/H01	63	689	399	439	25	30	730	645	666

GR56V-ZIK.GL.1R

Einbaulage Motorwelle vertikal
Installation position vertical motor shaft

Lauftrad von oben ansaugend
Impeller at the top
Vo

Lauftrad von unten ansaugend
Impeller at the bottom
Vu



L-KL-2813


Ventilator-Typ Fan type	Artikel-Nr. Article no.	kg	A	G	H	H1	H3	H4	L	L1
GR56V-ZIK.GL.1R	114 028/O01	Vo	63	690	M8	399	439	25	30	750
GR56V-ZIK.GL.1R	114 028/U01	Vu	63	690	M8	420	460	25	30	750

RH56V-ZIK.GL.1R

**3~ 380...480V
50/60Hz IP54**

P_1	3,5	kW
I_n	5,7-4,5	A
t_B	1620	min^{-1}
	60	$^{\circ}\text{C}$


gemessen mit Volldüse / *measured with full bell mouth*



Volldüse / <i>Full bell mouth</i>	00278489
-----------------------------------	----------

Einbaulagen

Installation positions



Motorwelle horizontal
Horizontal motor shaft
H

Motorwelle vertikal
Vertical motor shaft


Vo Laufrad von oben ansaugend
Impeller at the top

Vu Laufrad von unten ansaugend
Impeller at the bottom

120 RH..C-ECblue, Vpro-ECblue

GR56V-ZIK.GL.1R

Einbaulage Motorwelle horizontal
Installation position horizontal motor shaft
H



L-KL-2812


Ventilator-Typ Fan type	Artikel-Nr. Article no.	kg	A	H	H1	H3	H4	L	L1	L2
GR56V-ZIK.GL.1R	114 026/H01	63	689	399	439	25	30	730	645	666

GR56V-ZIK.GL.1R

Einbaulage Motorwelle vertikal
Installation position vertical motor shaft

Lauftrad von oben ansaugend
Impeller at the top
Vo

Lauftrad von unten ansaugend
Impeller at the bottom
Vu



L-KL-2813

Ventilator-Typ Fan type	Artikel-Nr. Article no.	kg	A	G	H	H1	H3	H4	L	L1
GR56V-ZIK.GL.1R	114 026/O01	Vo	63	690	M8	399	439	25	30	750
GR56V-ZIK.GL.1R	114 026/U01	Vu	63	690	M8	420	460	25	30	750