



RH63V-ZIK.GG.1R

**3~ 200...240V
50/60Hz IP54**

P_1	2,7	kW
I	8,3-6,9	A
n	1220	min^{-1}
t_R	60	$^{\circ}\text{C}$

Anschlussplan MOEA03K0

gemessen mit Volldüse / *measured with full bell mouth*

Artikel-Nr.
Article no.

Volldüse / <i>Full bell mouth</i>	00279305
-----------------------------------	----------

Ohne Lüfterrad und Düse dargestellt!
Shown without impeller and inlet ring!

The drawing shows the L-KL-28000 pump housing. The side view on the left includes dimensions: $\varnothing DN$, $\varnothing A$, H , $H5$, $H2$, $B2$, $\varnothing D$, $\varnothing DL$, $\varnothing DT$, $\varnothing DA$, $F1$, U , $T1$, and $H1$. A note specifies $F1 = \text{max. Einschraubtiefe max. depth of screw}$. The front view on the right shows the inlet flange with dimensions: $8 \times 45^\circ$, $M10$, $\varnothing ChDüse$, $\varnothing E$, and $\varnothing D5/Z$.

L-KL-28000

Motorwelle horizontal
Horizontal motor shaft
H

Motorwelle vertikal
Vertical motor shaft


Vo Laufrad von oben ansaugend
Impeller at the top

Vu Laufrad von unten ansaugend
Impeller at the bottom

Ventilator-Typ <i>Fan type</i>	Artikel-Nr. <i>Article no.</i>	Controller		A	B2	DA	DD	DL	DN	D1	D5	E	E1	F1	H	H1	H2	H5	T1	U	Z
RH63V-ZIK.GG.1R	113 944 113 945	Basic Premium	25	228	180	745	656	418	644	510	11,5	252	720	20	479	95	283	320	1,5	6,5	6x60°

GR63V-ZIK.GG.1R

Einbaulage Motorwelle horizontal
Installation position horizontal motor shaft
H



L-KL-2812


Ventilator-Typ Fan type	Artikel-Nr. Article no.	kg	A	H	H1	H3	H4	L	L1	L2
GR63V-ZIK.GG.1R	114 016/H01	74	800	447	477	25	40	840	722	770

GR63V-ZIK.GG.1R

Einbaulage Motorwelle vertikal
Installation position vertical motor shaft

Lauftrad von oben ansaugend
Impeller at the top
Vo

Lauftrad von unten ansaugend
Impeller at the bottom
Vu



L-KL-2813

Ventilator-Typ Fan type	Artikel-Nr. Article no.	kg	A	G	H	H1	H3	H4	L	L1
GR63V-ZIK.GG.1R	114 016/O01	Vo	73	780	M8	447	477	25	40	840
GR63V-ZIK.GG.1R	114 016/U01	Vu	73	780	M8	468	498	25	40	840



RH63V-ZIK.GG.1R

**3~ 380...480V
50/60Hz IP54**

P_1	2,8	kW
I	4,4-3,5	A
n	1230	min^{-1}
t_B	60	$^{\circ}\text{C}$

Anschlussplan MOEA03K0

gemessen mit Volldüse / *measured with full bell mouth*


Artikel-Nr.
Article no.

Volldüse / *Full bell mouth*

00279305

Einbaulagen

Installation positions



Motorwelle horizontal
Horizontal motor shaft
H

Motorwelle vertikal
Vertical motor shaft


Vo Laufrad von oben ansaugend
Impeller at the top

Vu Laufrad von unten ansaugend
Impeller at the bottom

Ventilator-Typ <i>Fan type</i>	Artikel-Nr. <i>Article no.</i>	Controller		A	B2	DA	DD	DL	DN	D1	D5	E	E1	F1	H	H1	H2	H5	T1	U	Z
RH63V-ZIK.GG.1R	113 942 113 943	Basic Premium	25	228	180	745	656	418	644	510	11,5	252	720	20	479	95	283	320	1,5	6,5	6x60°

GR63V-ZIK.GG.1R

Einbaulage Motorwelle horizontal
Installation position horizontal motor shaft
H



L-KL-2812


Ventilator-Typ Fan type	Artikel-Nr. Article no.	kg	A	H	H1	H3	H4	L	L1	L2
GR63V-ZIK.GG.1R	114 014/H01	74	800	447	477	25	40	840	722	770

GR63V-ZIK.GG.1R

Einbaulage Motorwelle vertikal
Installation position vertical motor shaft

Lauftrad von oben ansaugend
Impeller at the top
Vo

Lauftrad von unten ansaugend
Impeller at the bottom
Vu



L-KL-2813


Ventilator-Typ Fan type	Artikel-Nr. Article no.	kg	A	G	H	H1	H3	H4	L	L1
GR63V-ZIK.GG.1R	114 014/O01	Vo	73	780	M8	447	477	25	40	840
GR63V-ZIK.GG.1R	114 014/U01	Vu	73	780	M8	468	498	25	40	840

RH63V-ZIK.GL.1R

**3~ 200...240V
50/60Hz IP54**

P_1	3,0	kW
I_n	9,0-7,5	A
t_B	1260	min ⁻¹
	60	°C

gemessen mit Volldüse / *measured with full bell mouth*



Motorwelle horizontal
Horizontal motor shaft
H

Motorwelle vertikal
Vertical motor shaft


Vo Laufrad von oben ansaugend
Impeller at the top

Vu Laufrad von unten ansaugend
Impeller at the bottom

126 RH..C-ECblue, Vpro-ECblue

GR63V-ZIK.GL.1R

Einbaulage Motorwelle horizontal
Installation position horizontal motor shaft
H



L-KL-2812


Ventilator-Typ Fan type	Artikel-Nr. Article no.	kg	A	H	H1	H3	H4	L	L1	L2
GR63V-ZIK.GL.1R	114 032/H01	79	800	447	477	25	40	840	722	770

GR63V-ZIK.GL.1R

Einbaulage Motorwelle vertikal
Installation position vertical motor shaft

Lauftrad von oben ansaugend
Impeller at the top
Vo

Lauftrad von unten ansaugend
Impeller at the bottom
Vu




L-KL-2813

Ventilator-Typ Fan type	Artikel-Nr. Article no.	kg	A	G	H	H1	H3	H4	L	L1
GR63V-ZIK.GL.1R	114 032/O01	Vo	78	780	M8	447	477	25	40	840
GR63V-ZIK.GL.1R	114 032/U01	Vu	78	780	M8	468	498	25	40	840

GR63V-ZIK.GL.1R

Einbaulage Motorwelle horizontal
Installation position horizontal motor shaft
H



L-KL-2812


Ventilator-Typ Fan type	Artikel-Nr. Article no.	kg	A	H	H1	H3	H4	L	L1	L2
GR63V-ZIK.GL.1R	114 030/H01	79	800	447	477	25	40	840	722	770

GR63V-ZIK.GL.1R

Einbaulage Motorwelle vertikal
Installation position vertical motor shaft

Lauftrad von oben ansaugend
Impeller at the top
Vo

Lauftrad von unten ansaugend
Impeller at the bottom
Vu



L-KL-2813

Ventilator-Typ Fan type	Artikel-Nr. Article no.	kg	A	G	H	H1	H3	H4	L	L1
GR63V-ZIK.GL.1R	114 030/O01	Vo	78	780	M8	447	477	25	40	840
GR63V-ZIK.GL.1R	114 030/U01	Vu	78	780	M8	468	498	25	40	840